A PHYSICAL DESCRIPTION OF LAKES AND RIVERS IN THE YUKON RIVER BASIN

PREPARED FOR

DEPARTMENT OF RENEWABLE RESOURCES - GOVERNMENT OF YUKON

FOR THE

YUKON RIVER BASIN STUDY

BY

HOWARD PAISH & ASSOCIATES LTD.

FEBRUARY 1984

VOL. 1 LAKES

YUKON RIVER BASIN STUDY

This project was completed [illegible]
the Yukon River Basin Study
intergovernmental [illegible]
by the governments of [illegible]
Yukon and British [illegible]

HOWARD PAISH & ASSOCIATES LTD.

Natural Resource Planning and Analysis

COQUITLAM, B.C. WHITEHORSE, YUKON

A PHYSICAL DESCRIPTION OF LAKES AND RIVERS IN THE YUKON RIVER BASIN

PREPARED FOR

DEPARTMENT OF RENEWABLE RESOURCES - GOVERNMENT OF YUKON

FOR THE

YUKON RIVER BASIN STUDY

BY

HOWARD PAISH & ASSOCIATES LTD.
FEBRUARY 1984

VOL. 1 LAKES

HOWARD PAISH & ASSOCIATES LTD. Natural Resource Planning and Analysis
1102 GROVER AVE., COQUITLAM, B.C., CANADA V3J 3G1
TELPHONE (604) 939-1339

Dpt. of Renewable Resources
Yukon Territorial Government
10 Burns Road
Whitehorse, Yukon V1A 2C6

February 11, 1984

Attention: Yukon River Basin Study Recreation and Tourism Planner

Dear Sirs:

This letter accompanies our report entitled "A Physical Description of Lakes and Rivers in the Yukon River Basin".

This report has been assembled on the basis of existing information to compliment the report "Inventory, Analysis and Evaluation of the Recreational Capability of the Yukon River Basin", prepared by Reid-Crowther and Partners Ltd., November 1983.

The intent of this assignment has been to provide descriptive data on size, elevation, location, access, and as many descriptive features of the lake and river resources as possible, from existing sources. The information would be used to compliment the Reid-Crowther report which provides none of this information.

The assignment has been carried out in a matter of a few weeks, to meet a very tight time schedule, and although we have done everything possible to tap all available sources of information within the time and budget constraints, we realize that there will be some omissions. However, the system has been designed in such a manner that it can be readily up-dated, and, as we have indicated in our introductory material, such an up-dating should be considered.

This initial volume contains introductory and explanatory information, and the data sheets for the individual lakes by sub-drainage.

The information on the rivers will be following shortly as a supplement to this report.

We draw specific attention to a number of items that we have raised in our introductory comments, and discussion with you, and a number of other points that have become apparent as the work has progressed.

First, we have stayed with the "one-sheet-per-lake" format adopted by Reid-Crowther. This does not apply realistically to the large lakes, and as an example, in this report, we have deliberately broken Kluane Lake down into four units to show how the basic descriptive information can more appropriately be set out and used.

The second problem has probably been one resulting from lake names. We have been unable to identify a few of the lakes recorded in the Reid-Crowther report. We suspect that local names have been used, and within the time and budget constraints of this assignment, we have not resorted to smaller scale maps, etc., to refine these few anomolies--perhaps three or four for the entire drainage.

We have also noted, particularly in areas where we have had good working familiarity, that a number of lakes have been left out, including lakes for which quite good descriptive information has been gathered and recorded by both our company and EPEC during earlier recreational studies in Yukon. This applies throughout the Basin, but particularly to the White River and Upper Yukon drainage.

Another area where information is deficient and difficult to assemble is in the B.C. portions of the Upper Yukon and Teslin sub-drainages. I have personal familiarity with a number of these lakes, and have been able to provide detail on them. However, a number of lakes have been missed altogether, including several large ones, and the information on them is extremely scant in

2...

the Reid-Crowther report. Unfortunately, our formal data bases have all stopped at the Yukon border.

We also realize that more specific information is available in far too much detail to be usable for an exercise like this--basically "cart ahead of the horse data",with no one sure where the cart is parked and how to get it moving.

In our introduction and in earlier discussions, we have noted the need to gear inventory-type information to the level of decisions being made. We must re-iterate that again. This is first-brush information. However, the fact that it has been possible to assemble it from a number of simple sources in a very short period of time in a fairly consistent form, suggests that this kind of exercise is worthwhile and should be an essential prelude to any major information-gathering exercise. A quote from Lewis Carol might be appropriate as descriptive of the whole problem of gearing information gathering to its eventual use. Alice begins:

> *"...Cheshire Puss," she began, rather timidly, as she did not at all know whether it would like the name: however, it only grinned a little wider. "Come, it's pleased so far," thought Alice, and she went on. "Would you tell me, please, which way I ought to go from here?"*
>
> *"That depends a good deal on where you want to get to," said the Cat.*
>
> *"I don't much care where--" said Alice.*
>
> *"Then it doesn't matter which way you go", said the Cat.*
>
> *"--so long as I get somewhere," Alice added as an explanation.*
>
> *"Oh, you're sure to do that," said the Cat, "if you only walk long enough."*

Lewis Carol had a good crystal-ball for looking into today's resource management scene, particularly for inventory.

In conclusion, we have found this assignment most interesting, albeit somewhat hectic, and hope that the results have achieved their intended purpose.

I will be glad to discuss the contents of this further with you at a mutually convenient time.

Yours truly,

Howard Paish

Howard Paish

HP:tgw

Encl.

INTRODUCTION

PURPOSE

The information set out in this report has been prepared to provide a physical description for lakes and rivers in the Yukon River Basin, necessary to permit an independent assessment of recreational capability and potential by appropriate management agencies.

The information has been assembled in a format to compliment Volumes 2, 3, and 4 of the Inventory Analysis and Evaluation of the Recreation Capability of the Yukon River Basin, carried out for the Department of Renewable Resources, Government of Yukon by Reid-Crowther and Partners, Ltd., as part of the Yukon River Basin Study.

ASSIGNMENT METHOD AND REPORT FORMAT

A key component in the assembly and organization of this information is the author's existing knowledge of the availability of descriptive information on lakes and rivers with the Yukon Basin. No new information has been generated.

In our first discussions on this assignment, we had indicated that the information on lakes would be substantially better than much of the information on rivers, since so much of our company's work has been focussed on lakes, and this is where information from other sources,particularly D.F.O. and other recreational inventories,is strongest.

We had hoped to include Martyn Williams in this assessment and use his extensive knowledge of Yukon River systems. Unfortunately because of the tight time limit for the study, Mr. Williams has been unavailable to participate because of prior work commitments.

This is one data area where a relatively simple update could be provided by someone like Martyn, using the existing format.

The Reid-Crowther reports provide judgements on recreational capability, backed up by a rationale for their objectivity based on a complex rating system (still judgements). The reports provide no physical information on the water bodies in question and the context within which water bodies have to be judged, for example, size,distances from nearest settlements, etc. Needless to say, this type of descriptive information is absolutely essential if the capability information is to be of much value.

The information in this report on location, access, size, elevation, alignment, gradient, etc., has been obtained very simply from 1 to 250,000 and 1 to 50,000 topographic maps, and a simple analysis of that map information.

Details on the type of information, the sources from which it has been obtained, comments on the status of that information, and a brief explanation of what is actually incorporated in it is also provided.

Very simply, the assignment provides one-page data sheets on the existing physical and descriptive information on individual lakes and rivers, and some indication of sources of additional information that would have to be taken into account by a manager making decisions about a particular water body.

The information sheets are keyed to Volume 2 of the Reid-Crowther Study, The Recreational Atlas of the Lakes and Rivers within the Yukon River Basin. This atlas is made up of a series of 1 to 50,000 scale maps, breaking the Yukon Basin down into the following sub-drainage units:

- Lower Yukon River
- Stewart River
- Pelly River
- White River
- Teslin River
- Upper Yukon River.

Volume 3 of the Reid-Crowther report Inventory of Recreation Capability, and Volume 4, An Evaluation of Recreation Capability, provide single sheets for each lake or river, again grouped under sub-basin headings.

The descriptive sheets contained in this document parallel those single-page sheets.

We should caution at the out-set that there are some real problems with the single-sheet approach. Clearly, a small lake of a few hundred hectares can be covered under the system that we are using, on a single sheet. The same is certainly not true for a large lake such as Teslin or Kluane, where different portions of a lake may have quite different characteristics and can be classified as separate recreational management units.

The basic format that we are using here is one that we have found to be particularly useful in the Yukon over the past six years, in determining the major characteristics of a recreational water body as a basis for more detailed analysis for recreation cottage lot location. However, for the purposes of consistency with the Reid-Crowther reports, we have used a single lake or single river per sheet format, acknowledging the deficiencies inherent in that system. These deficiencies could be rectified later, and a refinement of this system should involve a breaking down of the larger units into more realistic management units.

STATUS OF DATA INCLUDED IN THIS DOCUMENT

Initial map sheet information

This information is taken either directly from map sheets or, in many instances, from descriptive sheets that we have already prepared for prior assignments.

Personal site visits (1 on information sheets)

These water bodies have been visited by the author in connection with technical work on recreational cottage inventory programs carried out in 1978 for the Department of Indian and Northern Affairs, and follow-up recreational cottage site work carried out for the Department of Renewable Resources in 1980, 1981, and 1982. This involved aerial examinations from fix-wing float aircraft, helicopter, and extensive ground and site visits.

Additional information is based on work undertaken during other professional assignments in the Yukon, including A Policy-Oriented Assessment of the Yukon Sport Fishery, 1980/81, and A Strategic Planning Overview of the Resources of Northern British Columbia and Yukon, carried out for the Department of Fisheries and Oceans in 1981, 1982, and 1983.

This "professional visit" information has been further supplemented by extensive recreational travel by the author in Yukon to a number of sites not covered by specific studies.

The format used for recording this information, is based largely on the format used in the recreational cottage inventories, and used subsequently in inventory work by the author for other purposes.

Data Consistent With (1) Above (2)

This incorporates information gathered under the recreation cottaging program by E.P.E.C. Consulting, in 1977. This work involved an inventory process similar to that used in subsequent years, and in a number of cases this data has been cross-checked by personal site visits.

Other Identified Sources (3)

D.F.O. work and recreation cottage work undertaken by our company has involved a close examination of D.F.O. information, including consultants reports, and an assembly of information from their files. As a part of the Sport Fishing Assessment, we prepared individual lake cards for all lakes over 200 hectares in the Yukon, and a number of smaller lakes. While the information is not uniform, it has direct management application, such as mean lake depth, availability of water quality information, information on fish presence, etc. Much of this information is recorded in individual lake and river files at D.F.O., and provides detail that is valuable for management application for resources other than fisheries.

Reid-Crowther (4)

Where we have no other solid data sources, we have incorporated some of the descriptive information from the Reid-Crowther report, with respect to recreational features, recreational capability, and recreational potential.

Much of this, of course, is subjective, and we have reservations about the applicability and value of the "number-crunching" exercises in instances where extremely scant descriptive information is provided-- including the kind of physical information that can be obtained simply from a map sheet.

All of the information has been organized in a format that will permit a straightforward "filling-in-the-blanks" as additional information becomes available.

One serious problem in gathering inventory information is ensuring that information matches the level of decision to which the information is going to be applied.

In this assignment, we have gathered the information for two particular purposes.

First, to compliment the Reid-Crowther data, because, in our opinion, as a decision-making tool by people other than the authors of the report, the Reid-Crowther work is deficient. Second, however, the information covered in this document provides a manager or decision-maker in any discipline with a simple overview of the characteristics of the water body in question. Clearly, the system needs refinement, but at this stage of decision-making, certainly for the purposes of the Yukon River Basin Study, the first-brush attempt to provide a common level of information on water bodies throughout the Yukon Basin is worthwhile. This approach, which is aimed at a reasonable level of consistency, will permit comparisons between different lakes or rivers, identify the status of the data base, and indicate the deficiencies where further more detailed information could be sought.

Such information, as we have discovered, can provide the decision-maker with a sufficient level of detail to assist him in determining the needs for more sophisticated inventory or descriptive information where appropriate. Given more time for this assignment, the information could have been more thorough. Further information could be refined considerably with better technology (given time) through the use of digitizer, etc., as opposed to manual "eyeball" methods.

We must emphasize, as must be emphasized in the case of all recreation-type studies, that much of the information is subjective, no matter how much one tries to quantify it and make it objective. Judgements on landscape aesthetics, and in part, on recreational features, recreational capability and recreational potential are just--judgements--no matter how much we try to quantify them. No attempt is made in this document to quantify from an admittedly simple data base.

Nonetheless, certain levels of irrefutable information derived from map sources, etc., as well as much of the other description information can be extremely usable, provided an appreciation of the status of that information is taken into account in the type of decision that is being made.

EXPLANATION OF TERMS USED

The data sheets have been broken down into separate sheets for lakes and rivers. Different types of data are appropriate in some instances for rivers and lakes, and these differences are explained later.

BASIC INFORMATION FOR LAKES

Name and drainage: Self-explanatory

Locations: Latitude and longitude to the approximate lake centre.

Access types: Major road, minor road, trail, and river access (time and budget limitations have precluded some detail on this particular mode of access).

Elevation: This is a particularly useful piece of information and as an appendix to this report, we have provided sections from the report "Yukon Sport Fishery—A Policy-Oriented Assessment of Sport Fishing in Yukon, Howard Paish and Associates Ltd., 1981". This appendix provides a rationale for classifying lakes according to elevation, size, etc., for management purposes. While this was prepared primarily for a Fisheries Study, its management application for other aspects of aquatic resource use will be quite apparent. This appendix also includes a listing of most of the lakes in Southern Yukon, over 200 hectares, with basic classification information on those lakes.

Very simply, classification of lakes into three elevation categories over 1,000 metres, between 750 and 1,000 metres, and under 750 metres, can be a good guide to productivity, particularly when coordinated with other features such as depth.

Mean depth: This information, combined with elevation, provides valuable management information. Below an elevation of approximately 1,000 metres, relatively shallow lakes, (i.e. less than 15 metres) means that the lake is likely to be biologically productive with appropriate importance for fisheries, water fowl, aquatic wildlife, and water contact recreation.

Map reference: Y.R.B.S. indicates the classification in Volume 2 of the Reid-Crowther report. N.T.S. indicates the 1 to 250,000 map sheet for the national topographic series.

Access distance from nearest town or highway: For road access lakes this will be measured to the nearest access point, from a stated reference point. For air access lakes, it will be measured in a straight line to the centre of the lake.

BASIC INFORMATION FOR RIVERS

Location: The centre point of a river has been used. This has limitations in the case of a long river reach, but it at least provides a useful reference point for someone with little knowledge of Yukon.

Alignment: General direction of flow.

Access type: Again, in the case of road access, to the nearest access point from a given reference point.

Length: A straightforward map estimate.

Elevation: Two figures are used here, indicating the elevation at source and the elevation at confluence with another system.

River Width: This is a variable piece of data that can be useful, for example, in distinguishing between a small system, e.g. Chandidu, and a major system such as the main stem of the Yukon River. This information is available only by inference from the Reid-Crowther report.

An additional useful piece of information could be river volumes.

Mean Depth: Obviously variable according to the season of the year. It is, however, useful as a general descriptive guide, and a practical arbitrary estimate is made for the month of August.

Gradient: Again, a general piece of information, but still usable and derived from a simple calculation based on length of reach, and elevation drop.

Map references: Same as for lakes, except that the rough centre position of the reach is being used for simplicity.

Access Distance: Same criteria as for lakes. The closest access point from a stated reference point, and in the case of air access, an estimate of the distance for the most appropriate landing site.

For the remainder of the data sheets, the information descriptions are basically the same for both lakes and rivers.

Site description: Refers to the general setting and adjacent land area.

Vegetation: Deals primarily with terrestrial vegetation. General criteria with respect to aquatic vegetation, can be determined from elevation and mean depth. However, for the most part this is not a particularly significant management consideration for Yukon lakes and rivers.

Hydrologic characteristics: Deals primarily with surface characteristics for lakes and surface and flow characteristics for rivers.

Water quality is really not a significant factor in Yukon with the exception of particular problems at industrial outfalls— Placer Mining operations, for example. Water quality, insofar as recreation is concerned, is consistently high. Water temperatures are consistently low except for a small number of shallow lakes at low elevations.

Fishery Features: Fisheries will remain an important management focus, and a useful data source.

Where specific information is available, species presence will be provided and where a particular species is important, this will be noted.

For a number of lakes, a Morpho-edaphic index number is available. This is an index figure that relates mean depth of the lake to total dissolved solids, and provides a good indication of gross productivity. The higher the M.E.I., generally the higher fish biomass produced.

Landscape aesthetics: A descriptive and judgemental factor that is consistent for the points at which it is provided.

Existing uses: Refers to activity associated with the aquatic unit other than recreational use.

Recreational Features: Deals with recreational facilities, campsite presence, lodge, boat launch, etc., and any particular points of recreational interest not covered under the features above.

Recreational Capability and Recreational Potential: A subjective commentary not necessarily agreeing with the quantitive approach in the Reid-Crowther reports.

Other Features: Historical or cultural significance, existing management controversy, etc.

Status of Data Base: Already explained.

Fisheries Terms

The following abbreviations have been used:

lt. = lake trout
ag. = Arctic grayling
np. = northern pike
w. = whitefish

Other species present have been recorded by their full names.

We have only recorded sport fishing species that would be important in the recreational management of a waterway.

Under the Rivers component of the report, more reference will be made to the anadromous Chinook and Chum salmon.

For the most part, freshwater commercial species are not overly significant in Yukon and on the few water bodies where they have to be taken into account, it is better to obtain specific detailed information from DFO sources. We have noted where commercial quotas exist.

We have also used a term "sport fishing quota". During the past few months, specific sport fishing quotas for commercial fly-in sport fishing operations have been applied to a number of lakes.

In a number of instances, commercial leases subject to DFO licencing conditions will be granted. However, the appropriate fisheries regulations have not been promogated yet, and the exact status of these licences and their links to the land leases have not been determined.

This information can be up-dated, but wherever the term "sport fishing quota" is used, it would be wise to establish the exact status of the lake with the Department of Fisheries and Oceans with the DIAND for lease status.

LOWER YUKON

SUB-BASIN

LAKES

LAKE

NAME: *Frenchman* DRAINAGE: *LY*

LOCATION: *62°10'; 135°50'* ACCESS TYPES: *Road Access*

SIZE: (ha) *1348* ELEVATION: (m) *548* MEAN DEPTH: (m) *16.8*

MAP REFERENCE: *Y.R.B.S. *2* *N.T.S. *105 N 1/2 D*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 50 km E of Carmacks

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle to Mod. Relief. Rising to 30' - 50' benches. Till - extensive organic.*

VEGETATION:

Terrestrial and Aquatic: *Mostly spruce - some decid. on old burn.*

HYDROLOGIC CHARACTERISTICS:

TDS 264

FISHERY FEATURES:

ag. lt. np.
MEI 15.7

LANDSCAPE AESTHETICS:

Dull

EXISTING USES:

RECREATIONAL FEATURES:

YTG campgrounds - boat launch

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Merrice **DRAINAGE:** LY

LOCATION: 62°16'; 136°36' **ACCESS TYPES:** Fly-in

SIZE: (ha) 250 **ELEVATION:** (m) 760 **MEAN DEPTH:** (m)

MAP REFERENCE: *Y.R.B.S. 2 *N.T.S. 115 H 1/2 T

ACCESS DISTANCE (from nearest town or highway): (km)

28 km NW of Carmacks

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Tatchun* DRAINAGE: *LY*

LOCATION: *62°17'; 136°8'* ACCESS TYPES: *Road Access*

SIZE: (ha) *666* ELEVATION: (m) *549* MEAN DEPTH: (m) *13.9*

MAP REFERENCE: *Y.R.B.S. *2* *N.T.S. *115 N 1/2 T*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 25 km N of Carmacks

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle topo. Benches 30' - 80'*
Glacial till - bedrock - organic overlag.

VEGETATION:

Terrestrial and Aquatic: *Black spruce to shoreline. Spruce and aspen on benches. Sedge beds.*

HYDROLOGIC CHARACTERISTICS:

TDS 185

FISHERY FEATURES:

ag. lt. np. ch. downstream spawning.
MEI 13.6

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Proposed YTG campsite/boat launch

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Von Wilczek DRAINAGE: LV

LOCATION: 62°39'; 136°43' ACCESS TYPES: 2 way road access

SIZE: (ha) 600 ELEVATION: (m) 600 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 2 *N.T.S. 115 N 1/2 S

ACCESS DISTANCE (from nearest town or highway): (km)

15 km SW of Pelly Crossing

SITE DESCRIPTION:

Topography and Surficial Geology: Flat topography
Extensive marsh. Mostly organic

VEGETATION:

Terrestrial and Aquatic: Black spruce - extensive aspen
Sedge beds. Extensive aquatic vegetation.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Lakeside day use
One of few lakes near Klondike Hwy.

RECREATIONAL CAPABILITY:

Mod.
Because of access

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

Heavy waterfowl use.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

STEWART
SUB-BASIN
LAKES

LAKE

NAME: *Arrowhead* DRAINAGE: *S*

LOCATION: *63°42'; 131°10'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *200* ELEVATION: (m) *1065* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 Q*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 240 km SE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Barlow* **DRAINAGE:** *S*

LOCATION: *63°45'; 137°43'* **ACCESS TYPES:** *2 way road access*

SIZE: (ha) *125* **ELEVATION: (m)** *730* **MEAN DEPTH: (m)**

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *115 N 1/2 P*

ACCESS DISTANCE (from nearest town or highway): (km)

75 km NW of Stewart Crossing

SITE DESCRIPTION:

Topography and Surficial Geology: *Flat topo.*
Cobble and sedge shoreline
glacial till and gravel

VEGETATION:

Terrestrial and Aquatic: *Old burn - regenerating to decid. some poplar.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np. (?) ag. (?)

LANDSCAPE AESTHETICS:

Good vistas N.

EXISTING USES:

Trapping base

RECREATIONAL FEATURES:

Casual camping

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod. Day-use for highway travellers.

OTHER FEATURES:

One of few lakes in area. Near Klondike Hwy.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Crystal* DRAINAGE: *S*

LOCATION: *63°14'; 136°05'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *300* ELEVATION: (m) *731* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *115 N 1/2 R*

ACCESS DISTANCE (from nearest town or highway): (km)
33 km SE of Stewart Crossing

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 15
IBP 21

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther x

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Edwards DRAINAGE: S

LOCATION: 63°42'; 134°13' ACCESS TYPES: Fly-in

SIZE: (ha) 375 ELEVATION: (m) 1067 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 M 1/2 H

ACCESS DISTANCE (from nearest town or highway): (km)

80 km E of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Einarson* DRAINAGE: *S*

LOCATION: *63°55'; 131°37* ACCESS TYPES: *Fly-in*

SIZE: (ha) *350* ELEVATION: (m) *1067* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 Q*

ACCESS DISTANCE (from nearest town or highway): (km)

225 km NE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Emerald DRAINAGE: S

LOCATION: 62°33'; 131°13' ACCESS TYPES: Fly-in

SIZE: (ha) 200 ELEVATION: (m) 1158 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 H 1/2 Q

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 240 km E of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Ethel DRAINAGE: S

LOCATION: 63°22'; 136°05' ACCESS TYPES: Road

SIZE: (ha) 4730 ELEVATION: (m) 764 MEAN DEPTH: (m) 30.9

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 115 N 1/2 R

ACCESS DISTANCE (from nearest town or highway): (km)
20 km E of Stewart Crossing
25 km S of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology:
Flanked by McArthur Range to S. Plateau to N.
5% - 20% slopes around lake
60% sand and cobble beach

VEGETATION:

Terrestrial and Aquatic:
Spruce/Fir. Some birch-aspen. Heavy moss understory.

HYDROLOGIC CHARACTERISTICS:

Shallow bays. E. and W. end
TDS 82

FISHERY FEATURES:

lt. np. ag.
MEI 2.65

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

YTG campground. Boat launch. YTG park reserve on entire lake.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

ESA 15

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Fairweather* DRAINAGE: *S*

LOCATION: *63°14'; 132°25'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *1890* ELEVATION: (m) *853* MEAN DEPTH: (m) *25.9*

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 H 1/2 O*

ACCESS DISTANCE (from nearest town or highway): (km)
180 km SE of Mayo
120 km N of Faro

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 34

FISHERY FEATURES:

Lt. ag. np.
MEI 1.26 *Sport quota*

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. DFO
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Francis* DRAINAGE: *S*

LOCATION: *63°26'; 135°40'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *525* ELEVATION: (m) *620* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 B*

ACCESS DISTANCE (from nearest town or highway): (km)

20 km SE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Halfway Lks.* DRAINAGE: S

LOCATION: 63°48'; 135°48' ACCESS TYPES: Road

SIZE: (ha) 350 ELEVATION: (m) 854 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 N 1/2 A

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 25 km N of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology:	*Two small lakes adjacent to Mayo/Elsa. Low swampy shorelines. High spots between lakes and road.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce and Fir. Some burn.*

HYDROLOGIC CHARACTERISTICS:

Shallow lake

FISHERY FEATURES:

ag. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Local picnic use. Swimming.

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low
Meets some local need

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Hanson Lks. DRAINAGE: S

LOCATION: 63°59'; 135°23' ACCESS TYPES: Road

SIZE: (ha) 530 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 N 1/2 A

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 50 km N of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: Attractive lake chain. Low rolling hills. 20 m local relief. Volcanic ash - some organic.

VEGETATION:

Terrestrial and Aquatic: 50-50 conifer/deciduous sedge shorelines.

HYDROLOGIC CHARACTERISTICS:

Shallow - quick warm-up

FISHERY FEATURES:

Old Rbw. stocking failed. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

7 cottages

RECREATIONAL FEATURES:

Locally constructed picnic-site/boat-launch. Suitable for swimming.

RECREATIONAL CAPABILITY:

Low/Mod
Could support more local use.

RECREATIONAL POTENTIAL:

Low/Mod

OTHER FEATURES:

Meets local needs.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Highland* **DRAINAGE:** S

LOCATION: *63°22'; 134°45'* **ACCESS TYPES:** *Fly-in*

SIZE: (ha) *150* **ELEVATION:** (m) *1370* **MEAN DEPTH:** (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 G*

ACCESS DISTANCE (from nearest town or highway): (km)

63 km SE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Janet* **DRAINAGE:** *S*

LOCATION: *63°40'; 135°30'* **ACCESS TYPES:** *Poor fire access road/air*

SIZE: (ha) *1860* **ELEVATION: (m)** *570* **MEAN DEPTH: (m)**

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 A*

ACCESS DISTANCE (from nearest town or highway): (km)

20 km NE of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: *Rolling hills to shoreline. Glacial till - organic in low areas.*

VEGETATION:

Terrestrial and Aquatic: *Spruce/Fir 50% burn on W shore*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. np. ag. ch. spawn in outlet.

LANDSCAPE AESTHETICS:

Poor

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Kathleen Lks.* DRAINAGE: *S*

LOCATION: *64°25'; 134°20'* ACCESS TYPES: *Winter Road/Fly-in*

SIZE: (ha) *± 500* ELEVATION: (m) *+ 900* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *106 S 1/2*

ACCESS DISTANCE (from nearest town or highway): (km)

80 km NE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. X Other identified sources. DFO
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Keele DRAINAGE: S

LOCATION: 63°30'; 130°27' ACCESS TYPES: Fly-kn

SIZE: (ha) 375 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 N 1/2 X

ACCESS DISTANCE (from nearest town or highway): (km)

270 km E of Mayo
195 km NE of Ross R.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

High scenic values. Area of Canadian Significance - Parks Canada

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 13

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. *Pers comm.*
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Mayo* **DRAINAGE:** S

LOCATION: 63°46'; 135°05' **ACCESS TYPES:** Road

SIZE: (ha) 9000 **ELEVATION: (m)** 670 **MEAN DEPTH: (m)** 56.5

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 M 1/2 A

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 45 km from Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: *Moderate slopes behind beaches. Glacial till. Extensive beach sloughing.*

VEGETATION:

Terrestrial and Aquatic: *Dead standing Spruce*

HYDROLOGIC CHARACTERISTICS:

Open windswept. Sudden squalls.
TDS 94

FISHERY FEATURES:

np. lt. ag. Commercial quota unused.
MEI 1.66

LANDSCAPE AESTHETICS:

Awful. Extensive Debris

EXISTING USES:

Reservoir. N.C.P.C.
Some cottages near outlet.

RECREATIONAL FEATURES:

Dangerous for boating.

RECREATIONAL CAPABILITY:

Low.

RECREATIONAL POTENTIAL:

Low.

OTHER FEATURES:

Placer mining on several inlet streams.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

X 3. Other identified sources. DFO

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *McQuestin* DRAINAGE: *S*

LOCATION: *64°07'; 135°19'* ACCESS TYPES: *Road*

SIZE: (ha) *1230* ELEVATION: (m) *701* MEAN DEPTH: (m) *4.47*

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *115 N 1/2 Q*

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and Surficial Geology: *Wide flat valley. No slopes near shore. Some volcanic ash over glacial till. Extensive organic in low areas.*

VEGETATION:

Terrestrial and Aquatic: *Spruce - Fir.*
Heavy moss cranberry understory.

HYDROLOGIC CHARACTERISTICS:

TDS 163

FISHERY FEATURES:

ag. np. lt.
MEI 36.5

LANDSCAPE AESTHETICS:

EXISTING USES:

Placer mining

RECREATIONAL FEATURES:

Popular local (Elsa) hunting and angling spot.

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

Waterfowl use - Canada geese

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Minto DRAINAGE: S

LOCATION: 63°41'; 136°10' ACCESS TYPES: Trail/4 x 4

SIZE: (ha) 440 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 115 N 1/2 O

ACCESS DISTANCE (from nearest town or highway): (km)

15 km NW of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle to Mod. backshores. Plateau setting. Loam and organic over glacial till.

VEGETATION:

Terrestrial and Aquatic: Spruce/Fir. Some pine. Stands of poplar and birch. Heavy moss and cranberry understory.

HYDROLOGIC CHARACTERISTICS:

Quick warm-up over beaches

FISHERY FEATURES:

np. lt. ag. - once major commercial fishery

LANDSCAPE AESTHETICS:

Attractive

EXISTING USES:

Cottaging

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Misty DRAINAGE: S

LOCATION: 64°20'; 131°25' ACCESS TYPES: Fly-in

SIZE: (ha) Approx 250 ELEVATION: (m) Approx 900 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 106 S 1/2

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Headwater start for Stewart R. Canoe trips.

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther x

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Niddery DRAINAGE: S

LOCATION: 63°17'; 131°21' ACCESS TYPES: Fly-in

SIZE: (ha) 250 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 N 1/2 R

ACCESS DISTANCE (from nearest town or highway): (km)

160 km NE of Faro

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Penape **DRAINAGE:** S

LOCATION: 63°46'; 133°47' **ACCESS TYPES:** Fly-in

SIZE: (ha) 525 **ELEVATION:** (m) 760 **MEAN DEPTH:** (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 N 1/2 I

ACCESS DISTANCE (from nearest town or highway): (km)

105 km NE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Pleasant* DRAINAGE: *S*

LOCATION: *63°32'; 132°58'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *440* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 P*

ACCESS DISTANCE (from nearest town or highway): (km)

145 km E of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Reid Lks.   DRAINAGE: S

LOCATION: 63°25'; 137°12'   ACCESS TYPES: Fly-in

SIZE: (ha) 2450   ELEVATION: (m) 760   MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3   *N.T.S. 115 N 1/2 0

ACCESS DISTANCE (from nearest town or highway): (km)

25 km W of Stewart Crossing

SITE DESCRIPTION:

Topography and Surficial Geology: Chain of 4 Lakes. Little local relief. Poorly drained. Organic over till. Extensive marsh.

VEGETATION:

Terrestrial and Aquatic: Spruce and willow. Spruce bog. Sedge beds. Heavy aquatic veg.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Lt. nr. ag.

LANDSCAPE AESTHETICS:

Vistas to south

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Swan DRAINAGE: S

LOCATION: 63°33'; 132°52 ACCESS TYPES: Fly-in

SIZE: (ha) 640 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 105 N 1/2 P

ACCESS DISTANCE (from nearest town or highway): (km)

155 km E of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
x4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Talbot* DRAINAGE: *S*

LOCATION: *63°27'; 135°45'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *200* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 B*

ACCESS DISTANCE (from nearest town or highway): (km)

18 km SE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Tiny-Island* DRAINAGE: *S*

LOCATION: *63°51'; 134°15'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *370* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *3* *N.T.S. *105 N 1/2 H*

ACCESS DISTANCE (from nearest town or highway): (km)

85 km NE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓ X]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Williamson* DRAINAGE: S

LOCATION: 63°39'; 135°10' ACCESS TYPES: *Fly-in*

SIZE: (ha) 430 ELEVATION: (m) 694 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 2 *N.T.S. 105 N 1/2 A

ACCESS DISTANCE (from nearest town or highway): (km)

37 km NE *of* Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle slopes. Glacial till* - cobble and *sedge shorelines.*

VEGETATION:

Terrestrial and Aquatic: *Spruce/Fir. Some Poplar and Birch*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. *lt.* np.

LANDSCAPE AESTHETICS:

Dull

EXISTING USES:

RECREATIONAL FEATURES:

Some *sandy* beaches

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

PELLY

SUB-BASIN

LAKES

LAKE

NAME: *Big Kalzas*
DRAINAGE: *P*

LOCATION: *63°15'; 134°30'*
ACCESS TYPES: *Fly-in*

SIZE: (ha) *4220*
ELEVATION: (m) *788*
MEAN DEPTH: (m) *64.6*

MAP REFERENCE: *Y.R.B.S. *4*
*N.T.S. *105 N 1/2 G*

ACCESS DISTANCE (from nearest town or highway): (km)

73 km SE Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: *Flat shorelines. Rolling hills. Glacial Till.*

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 55

FISHERY FEATURES:

np. lt. ag.
MEI .85
Fish camp. On/off operation

LANDSCAPE AESTHETICS:

Attractive vistas. Attractive lake.

EXISTING USES:

RECREATIONAL FEATURES:

Some sandy shorelines.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

Guide camp.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Blind DRAINAGE: P

LOCATION: 62°16'; 132°30' ACCESS TYPES: Fly-in

SIZE: (ha) 650 ELEVATION: (m) 1067 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 H 1/2 H

ACCESS DISTANCE (from nearest town or highway): (km)

45 km NE from Faro

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle relief. Mixed till and organic.

VEGETATION:

Terrestrial and Aquatic: Scrubby Spruce.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

Unattractive.

EXISTING USES:

RECREATIONAL FEATURES:

Low

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Bruce* DRAINAGE: *P*

LOCATION: *61°49'; 132°05'* ACCESS TYPES: *Road*

SIZE: (ha) *250* ELEVATION: (m) *354* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 SW P*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 30 km from Ross R.

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle slopes.*

VEGETATION:

Terrestrial and Aquatic: *Mostly burned Spruce.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above. [✓]
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Carolyn* DRAINAGE: P

LOCATION: *62°05'; 131°51'* ACCESS TYPES: *Road*

SIZE: (ha) *250* ELEVATION: (m) *1035* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 T*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 40 km NE of Ross River

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓ X]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Detour* DRAINAGE: *P*

LOCATION: *62°41'; 134°48'* ACCESS TYPES: *Road*

SIZE: (ha) *300* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 F*

ACCESS DISTANCE (from nearest town or highway): (km)

90 km NW of Faro

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

w. ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 15

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Diaman* DRAINAGE: *P*

LOCATION: *62°55'; 136°17'* ACCESS TYPES: *Trail/Fly-in*

SIZE: (ha) *1940* ELEVATION: (m) *600* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *115 N 1/2 S*

ACCESS DISTANCE (from nearest town or highway): (km)

65 km SE of Stewart Crossing

SITE DESCRIPTION:

Topography and Surficial Geology: *Rolling hills. Tills and gravels.*

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

No fish presence recorded.

LANDSCAPE AESTHETICS:

Unattractive

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Earn* DRAINAGE: *P*

LOCATION: *62°50'; 134°15'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *3553* ELEVATION: (m) *630* MEAN DEPTH: (m) *19.2*

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 F*

ACCESS DISTANCE (from nearest town or highway): (km)

85 km NW of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: *Flat. Tills. Some organic.*

VEGETATION:

Terrestrial and Aquatic: *Spruce/Fir. Large burn.*

HYDROLOGIC CHARACTERISTICS:

TDS 125

FISHERY FEATURES:

MEI 6.5
ag. lt. np. ch.

LANDSCAPE AESTHETICS:

EXISTING USES:

Fair level of use. Hunting and fishing.

RECREATIONAL FEATURES:

Alpine access.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Ess* DRAINAGE: *P*

LOCATION: *62°29'; 135°35'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *1400* ELEVATION: (m) *703* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 K 1/2 D*

ACCESS DISTANCE (from nearest town or highway): (km)

120 km NW of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: *Mostly gentle - some steep open slopes, till.*

VEGETATION:

Terrestrial and Aquatic: *Spruce*

HYDROLOGIC CHARACTERISTICS:

TDS 102

FISHERY FEATURES:

MEI 54.5.
Sport Quota.
ag. lt. np.

LANDSCAPE AESTHETICS:

Low

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
x 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Fortin
DRAINAGE: P
LOCATION: 62°00'; 130°35'
ACCESS TYPES: Fly-in
SIZE: (ha) 1498
ELEVATION: (m) 882
MEAN DEPTH: (m) 17
MAP REFERENCE: *Y.R.B.S. 4
*N.T.S. 105 SE 11

ACCESS DISTANCE (from nearest town or highway): (km)

95 km E of Ross R.

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle. Glacial till.

VEGETATION:

Terrestrial and Aquatic: Small black spruce.

HYDROLOGIC CHARACTERISTICS:

TDS 174

FISHERY FEATURES:

MEI 10.2
ag. lt.
Sport Quota

LANDSCAPE AESTHETICS:

Attractive

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Fuller DRAINAGE: P

LOCATION: 62°57'; 130°12' ACCESS TYPES: Fly-in

SIZE: (ha) 480 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 V

ACCESS DISTANCE (from nearest town or highway): (km)

160 km NE of Ross River (10 km E of highway)

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np.

LANDSCAPE AESTHETICS:

attractive

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Glenlyon* DRAINAGE: *P*

LOCATION: *62°24'; 134°09'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *750* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 E*

ACCESS DISTANCE (from nearest town or highway): (km)

45 km NW of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep Valley. Rocky and extensive organic.*

VEGETATION:

Terrestrial and Aquatic: *Spruce - much scrubby.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

Guide camp

RECREATIONAL FEATURES:

Good alpine access.

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Grass* DRAINAGE: *P*

LOCATION: *61°23'; 130°47'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *700* ELEVATION: (m) *1189* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 SE G*

ACCESS DISTANCE (from nearest town or highway): (km)
Approx. 100 km SE of Ross River

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.
Good angling BTS

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. X Other identified sources. *Pers. comm.*
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Gull DRAINAGE: P

LOCATION: 63°16'; 129°51' ACCESS TYPES: Fly-in

SIZE: (ha) 150 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 Z

ACCESS DISTANCE (from nearest town or highway): (km)

145 km NE of Ross River

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
[✓ 4. Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Itsi* DRAINAGE: *P*

LOCATION: *62°50'; 130°13'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *675* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 V*

ACCESS DISTANCE (from nearest town or highway): (km)

147 km NE of Ross River

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np. lt.

LANDSCAPE AESTHETICS:

High

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Jackfish* DRAINAGE: *P*

LOCATION: *62°25'; 131°11'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *950* ELEVATION: (m) *855* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 T*

ACCESS DISTANCE (from nearest town or highway): (km)

78 km NE of Ross River

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep shorelines.*

VEGETATION:

Terrestrial and Aquatic: *Scrub Spruce and some birch*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np. BIS
Popular fly-in

LANDSCAPE AESTHETICS:

Low

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources. *DFO*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: John DRAINAGE: P

LOCATION: 62°49'; 130°21' ACCESS TYPES: Fly-in

SIZE: (ha) 225 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 V

ACCESS DISTANCE (from nearest town or highway): (km)

145 km NE of Ross River

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np.

LANDSCAPE AESTHETICS:

High

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

ESA 13

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: LaForce DRAINAGE: P

LOCATION: 62°41'; 132°20' ACCESS TYPES: Fly-in

SIZE: (ha) 300 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 N

ACCESS DISTANCE (from nearest town or highway): (km)

70 km NE of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle. Organic.

VEGETATION:

Terrestrial and Aquatic: Scrub Spruce.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

BIS
ag. lt.

LANDSCAPE AESTHETICS:

Poor

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Little Kalzas* DRAINAGE: *P*

LOCATION: *62°58'; 135°39'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *993* ELEVATION: (m) *518* MEAN DEPTH: (m) -

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 M 1/2 C*

ACCESS DISTANCE (from nearest town or highway): (km)

70 km SE of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: *Flat backshore to gentle slopes.*

VEGETATION:

Terrestrial and Aquatic: *Spruce, Fir, Birch.*

HYDROLOGIC CHARACTERISTICS:

TDS 217

FISHERY FEATURES:

MEI 3.01
ag. lt. np.

LANDSCAPE AESTHETICS:

Attractive setting and vistas

EXISTING USES:

Outfitters camp.

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Marjorie* DRAINAGE: *P*

LOCATION: *62°06'; 131°58'* ACCESS TYPES: *Road*

SIZE: (ha) *900* ELEVATION: (m) *1035* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 T*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 40 km NE of Ross River

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle slopes. Isolated steep openings. Rocky. Organic.*

VEGETATION:

Terrestrial and Aquatic: *Black Spruce. 35% Burn*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. w. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. X Data consistent with 1. above.
3. X Other identified sources. *Pers comm.*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Mist DRAINAGE: P

LOCATION: 63°13'; 134°22' ACCESS TYPES: Fly-in

SIZE: (ha) 400 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 G

ACCESS DISTANCE (from nearest town or highway): (km)

90 km SE of Mayo

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Moose* DRAINAGE: *P*

LOCATION: *63°10'; 134°09'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *1385* ELEVATION: (m) *644* MEAN DEPTH: (m) *28.1*

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 G*

ACCESS DISTANCE (from nearest town or highway): (km)

100 km SE of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology:	*Swamp at SE. Steep slopes on N. Glacial till. Organic.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce.*

HYDROLOGIC CHARACTERISTICS:

Open and exposed.
TDS 84

FISHERY FEATURES:

ag. np. lt.

MEI 2.99. Fly-in use.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

X 3. Other identified sources. *DFO*

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Narrow* DRAINAGE: *P*

LOCATION: *63°20'; 134°34'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *825* ELEVATION: (m) *1067* MEAN DEPTH: (m) *est.30*

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 G*

ACCESS DISTANCE (from nearest town or highway): (km)

75 km SE of Mayo

SITE DESCRIPTION:

Topography and Surficial Geology: *Swampy. Mostly organic. --*

VEGETATION:

Terrestrial and Aquatic: *Spruce*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

BIS
np. lt. ag.
Some fly-in. Sport quota (?)

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Olgic* DRAINAGE: *P*

LOCATION: *62°06'; 132°29'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *300* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 M*

ACCESS DISTANCE (from nearest town or highway): (km)

15 km NE of Ross River

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle slopes. Heavy organic.*

VEGETATION:

Terrestrial and Aquatic: *Spruce and scrub. Many dead trees.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

Scenic

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above. [✓ X]
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Orchie* DRAINAGE: P

LOCATION: 62°09'; 131°52' ACCESS TYPES: Road

SIZE: (ha) 450 ELEVATION: (m) 1035 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 T

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 35 km NE of Ross River

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle. Local steep slopes. Organic. Burnt to bedrock in places.

VEGETATION:

Terrestrial and Aquatic: 95% burn. Willow, etc.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

Scenic location spoiled by burn.

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Orchay* DRAINAGE: *P*

LOCATION: *62°08'; 132°42'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *240* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 M*

ACCESS DISTANCE (from nearest town or highway): (km)

23 km NW of Ross River

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle slopes. Steep locally.*

VEGETATION:

Terrestrial and Aquatic: *Spruce, Birch, Aspen, Willow.*
30% Burn

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. ag. excellent angling.

LANDSCAPE AESTHETICS:

Scenic

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above. X
3. Other identified sources. X *Pers comm.*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Otter DRAINAGE: P

LOCATION: 62°29'; 130°25' ACCESS TYPES: Fly-in

SIZE: (ha) 675 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 U

ACCESS DISTANCE (from nearest town or highway): (km)
120 km NE of Ross R.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. BIS

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. DFO
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Pelly Lakes* DRAINAGE: *P*

LOCATION: *62°05'; 130°10'* ACCESS TYPES: *Fly-in/River*

SIZE: (ha) *1980* ELEVATION: (m) *384* MEAN DEPTH: (m) *26.2*

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 U*

ACCESS DISTANCE (from nearest town or highway): (km)

115 km E of Ross River

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 43

FISHERY FEATURES:

ag. np. lt.
MEI 1.64 Sport Quota

LANDSCAPE AESTHETICS:

EXISTING USES:

Mining exploration

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

Important Indian Village

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Ragged DRAINAGE: P

LOCATION: 62°39'; 135°25' ACCESS TYPES: Fly-in

SIZE: (ha) 500 ELEVATION: (m) 700 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 M 1/2 C

ACCESS DISTANCE (from nearest town or highway): (km)

107 km SE of Mayo (110 km NW of Faro)

SITE DESCRIPTION:

Topography and Surficial Geology: Many eskers. Many bays. Mod/Steep slopes. Glacial till.

VEGETATION:

Terrestrial and Aquatic: Spruce and aspen to shoreline

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np. w.

LANDSCAPE AESTHETICS:

Attractive - good scenic vistas

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Sheldon/Field/Lewis DRAINAGE: P

LOCATION: 62°40'; 131°05' ACCESS TYPES: Road

SIZE: (ha) 1700 ELEVATION: (m) 800 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 S

ACCESS DISTANCE (from nearest town or highway): (km)

N. Carol Road 180 km NE Ross R.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

Shallow lakes

FISHERY FEATURES:

ag. np. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

Caribou migration - old trading post

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Stokes*

DRAINAGE: *P*

LOCATION: *62°52'; 133°45'*

ACCESS TYPES: *Fly-in*

SIZE: (ha) *1400*

ELEVATION: (m) *664*

MEAN DEPTH: (m) *26.8*

MAP REFERENCE: *Y.R.B.S. *4*

*N.T.S. *105 N 1/2 K*

ACCESS DISTANCE (from nearest town or highway): (km)

75 km NW of Faro

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 95

FISHERY FEATURES:

ag. np. lt.
MEI 3.54
Sport Quota

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.

X 3. Other identified sources. *DFO*

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Summit (1)* DRAINAGE: *P*

LOCATION: *62°21'; 129°21'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *200* ELEVATION: (m) *1065* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 Z*

ACCESS DISTANCE (from nearest town or highway): (km)

165 km NE of Ross River

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Summit (2)* DRAINAGE: *P*

LOCATION: *63°03'; 136°13* ACCESS TYPES: *Fly-in*

SIZE: (ha) *100* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *115 N 1/2 R*

ACCESS DISTANCE (from nearest town or highway): (km)

40 km SE of Stewart Crossing

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

Survey Data DFO

FISHERY FEATURES:

ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. X Other identified sources. *DFO*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Swim Lks. DRAINAGE: P

LOCATION: 62°11'; 132°58' ACCESS TYPES: Fly-in

SIZE: (ha) 1600 ELEVATION: (m) 1067 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 K 1/2 M

ACCESS DISTANCE (from nearest town or highway): (km)

20 km E of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: Mod. steep slopes. Extensive swamp. Glacial till.

VEGETATION:

Terrestrial and Aquatic: Spruce

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np. lt. 3IS

LANDSCAPE AESTHETICS:

Poor

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Tadro

DRAINAGE: P

LOCATION: 62°29';135°44'

ACCESS TYPES: Fly-in

SIZE: (ha) 1360

ELEVATION: (m) 755

MEAN DEPTH: (m) 28.2

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 D

ACCESS DISTANCE (from nearest town or highway): (km)

135 km NW of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle. Glacial till. Some organic.

VEGETATION:

Terrestrial and Aquatic: Old burn. Spruce and Scrub. Some muskeg.

HYDROLOGIC CHARACTERISTICS:

TDS 91

FISHERY FEATURES:

Lt. np. ag.
MEI 3.23
Sport Quota

LANDSCAPE AESTHETICS:

Low

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources. DFO
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Tatlmain DRAINAGE: P

LOCATION: 62°36'; 136°00' ACCESS TYPES: Fly-in

SIZE: (ha) 3318 ELEVATION: (m) 564 MEAN DEPTH: (m) 26.8

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 115 N 1/2 S

ACCESS DISTANCE (from nearest town or highway): (km)

40 km S Pelly Crossing

SITE DESCRIPTION:

Topography and Surficial Geology: Mod. Slopes. Till/organic.

VEGETATION:

Terrestrial and Aquatic: Spruce 30% Burn

HYDROLOGIC CHARACTERISTICS:

TDS 150. Info. at DFO.

FISHERY FEATURES:

ag. lt. w. BIS File Data
MEI 5.6 Sport Quota

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

Lease

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources. DFO
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Tay* DRAINAGE: *P*

LOCATION: *62°22'; 132°00'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *1000* ELEVATION: (m) *1067* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *105 N 1/2 M*

ACCESS DISTANCE (from nearest town or highway): (km)

50 km N of Ross River

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle slopes. Rocky. Thin organic.*

VEGETATION:

Terrestrial and Aquatic: *Spruce. Ground Birch. Some burn.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np. ch. at outlet.

LANDSCAPE AESTHETICS:

Many Islands
Attractive. Good vistas

EXISTING USES:

RECREATIONAL FEATURES:

No beaches.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. X Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Teddy DRAINAGE: P

LOCATION: 62°38'; 132°23' ACCESS TYPES: Fly-in

SIZE: (ha) 300 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 N

ACCESS DISTANCE (from nearest town or highway): (km)

75 km NE of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle - Mod. slopes. Heavy to organic.

VEGETATION:

Terrestrial and Aquatic: Scattered Spruce. Sparse sub-alpine. Swampy.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Suspect ag. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
x 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Towhata* DRAINAGE: *p*

LOCATION: *62°41'; 136°20'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *500* ELEVATION: (m) *600* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *115 N 1/2 S*

ACCESS DISTANCE (from nearest town or highway): (km)

80 km SE of Stewart Crossing

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle slopes/organic*

VEGETATION:

Terrestrial and Aquatic: *Spruce. Sagewort slopes. Fairly open.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. ag. w. p.
Former commercial lake.

LANDSCAPE AESTHETICS:

scenic

EXISTING USES:

Trapping base

RECREATIONAL FEATURES:

Popular pike fishery

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above. X
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Willow*

DRAINAGE: *P*

LOCATION: *63°11'; 135°46'*

ACCESS TYPES: *Fly-in*

SIZE: (ha) *350*

ELEVATION: (m) *885*

MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *4* *N.T.S. *115 N 1/2 R*

ACCESS DISTANCE (from nearest town or highway): (km)
20 km SW of Stewart Crossing

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

w. prob. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. X Other identified sources. *DFO*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Wilson DRAINAGE: P

LOCATION: 62°52'; 130°05 ACCESS TYPES: Fly-in

SIZE: (ha) 225 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 4 *N.T.S. 105 N 1/2 V (Y)

ACCESS DISTANCE (from nearest town or highway): (km)

155 km NE of Ross R.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

WHITE

SUB-BASIN

LAKES

LAKE

NAME: *Fish Hole* DRAINAGE: (1)

LOCATION: *62°13'; 140°15'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *500* ELEVATION: (m) *750* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *5* *N.T.S. *115 N 1/2 D*

ACCESS DISTANCE (from nearest town or highway): (km)

20 km S of Snag.

SITE DESCRIPTION:

Topography and Surficial Geology:	*Flat. Moderate slope backshore.* *Heavy organic over glacial till.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce swamp.*

HYDROLOGIC CHARACTERISTICS:

Shallow

FISHERY FEATURES:

lt. np. ag. (overshadowed by Wellesley L.)

LANDSCAPE AESTHETICS:

Poor

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Gladstone DRAINAGE: U

LOCATION: 62°22'; 138°10' ACCESS TYPES: Trail/Fly-in

SIZE: (ha) 400 ELEVATION: (m) + 900 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 3 *N.T.S. 115 S 1/2 J

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np.
Used for fly-in commercial sport.

LANDSCAPE AESTHETICS:

EXISTING USES:

Outfitter camp
Some mining activity

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

Poor access

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
x 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

N.B. Too large for one sheet -- see subsequent sheets.

LAKE

NAME: Kluane (Main Lake West Shore) DRAINAGE: U

LOCATION: 61°10': 138°30' ACCESS TYPES: Road

SIZE: (ha) 39,600 ELEVATION: (m) 781 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 5 *N.T.S. 115 S 1/2 J

ACCESS DISTANCE (from nearest town or highway): (km)

Adjacent to Alaska Hwy. N Access roads to L.

SITE DESCRIPTION:

Topography and Surficial Geology: Rocky shoreline. High Mtn. backdrop. Glacial till.

VEGETATION:

Terrestrial and Aquatic: Spruce/Fir assoc.

HYDROLOGIC CHARACTERISTICS:

Rapid wind and wave action

FISHERY FEATURES:

MEI est 1.53
np. lt. ag. inconnu.

LANDSCAPE AESTHETICS:

Vistas to Ruby Range.

EXISTING USES:

RECREATIONAL FEATURES:

Two VTG campsites. Commercial facilities.

RECREATIONAL CAPABILITY:

High

RECREATIONAL POTENTIAL:

High

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. See previous sheet

NAME: Kluane (East shore) DRAINAGE: W

LOCATION: ACCESS TYPES: 4 W Drive to Cultus Bay

SIZE: (ha) ELEVATION: (m) MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *N.T.S.

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and Surficial Geology: Rolling topography. Sandy loams and tills. Rocky shorelines.

VEGETATION:

Terrestrial and Aquatic: Many open near-arid slopes. Some Spruce and Fir.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

Spectaculr views of Kluane Ranges and icefields.

EXISTING USES:

RECREATIONAL FEATURES:

Unusually open - semi-arid.
Historic site - Silver City

RECREATIONAL CAPABILITY:

High

RECREATIONAL POTENTIAL:

High

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

N.B. See previous sheets.

LAKE

NAME: Kluane (Talbot Arm) DRAINAGE: W

LOCATION: ACCESS TYPES: Boat

SIZE: (ha) ELEVATION: (m) MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *N.T.S.

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and Surficial Geology: Steep grassy slopes and bluffs. Rocky shorelines 50%

VEGETATION:

Terrestrial and Aquatic: Grasses and sub-alpine Spruce near shore.

HYDROLOGIC CHARACTERISTICS:

See main lake (but more sheltered.)

FISHERY FEATURES:

See main sheet.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Unique wildlife viewing
Dull sheep to shoreline.

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. See previous sheets.

NAME: *Kluane (Brooks Arm)* DRAINAGE: W

LOCATION: ACCESS TYPES: *Alaska Highway*

SIZE: (ha) ELEVATION: (m) MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *N.T.S.

ACCESS DISTANCE (from nearest town or highway): (km)

Burwash Landing

SITE DESCRIPTION:

Topography and Surficial Geology:	*More gentle slopes than rest of lake. Poor drainage. Rocky and sedge shorelines.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce - scrub - some sedge and aquatic vegetation.*

HYDROLOGIC CHARACTERISTICS:

Shallowest part of lake.

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

Grazing leases and private lots and Indian Reserve.

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Pickhandle* DRAINAGE: *W*

LOCATION: *61°55'; 140°19'* ACCESS TYPES: *Highway*

SIZE: (ha) *163* ELEVATION: (m) *670* MEAN DEPTH: (m) *8.70*

MAP REFERENCE: *Y.R.B.S. *5* *N.T.S. *115 SW*

ACCESS DISTANCE (from nearest town or highway): (km)

200 km E Haines Jct.

SITE DESCRIPTION:

Topography and Surficial Geology: *Low local relief*
Mostly sedge/organic shorelines

VEGETATION:

Terrestrial and Aquatic: *Spruce swamp - sedge*

HYDROLOGIC CHARACTERISTICS:

TDS 97

FISHERY FEATURES:

np. ag.
MEI 11.3

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Campground - Private
Roadside stop
Important in local context for highway travellers.

RECREATIONAL CAPABILITY:

Low
Best retained for day use.

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Stevens* DRAINAGE: *W*

LOCATION: *61°43'; 137°30'* ACCESS TYPES: *Boat, Fly-in, Trail from Polecat L.*

SIZE: (ha) *1125* ELEVATION: (m) *915* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *5* *N.T.S. *115 S 1/2 P*

ACCESS DISTANCE (from nearest town or highway): (km)

150 km N of Haines Jct.

SITE DESCRIPTION:

Topography and Surficial Geology:	*Flat topography. Many indentations.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce to most of shoreline.*

HYDROLOGIC CHARACTERISTICS:

TDS 45

FISHERY FEATURES:

np. lot. ag.
MEI 7.49

LANDSCAPE AESTHETICS:

Attractive local view

EXISTING USES:

Trapper cabins

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Tchawsahmon DRAINAGE: W

LOCATION: 61°57'; 140°53' ACCESS TYPES: Fly-in

SIZE: (ha) 713 ELEVATION: (m) 914 MEAN DEPTH: (m) 9.35

MAP REFERENCE: *Y.R.B.S. 5 *N.T.S. 115 S 1/2 A

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 121

FISHERY FEATURES:

ag. lt.
MEI 11.8 sport quota (?)

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. DFO
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Teepee DRAINAGE: W

LOCATION: 61°35'; 140°12' ACCESS TYPES: Trail/Fly-in

SIZE: (ha) 300 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 5 *N.T.S. 115 S 1/2 A

ACCESS DISTANCE (from nearest town or highway): (km)

70 km NW of Burwash Landing

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

X 3. Other identified sources. DFO

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Tincup* DRAINAGE: *U*

LOCATION: *61°45'; 139°15'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *1790* ELEVATION: (m) *817* MEAN DEPTH: (m) *103*

MAP REFERENCE: *Y.R.B.S. *5* *N.T.S. *115 S 1/2 H*

ACCESS DISTANCE (from nearest town or highway): (km)

45 km N or Burwash Landing

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep unstable slopes around lake. Swamp at inlet and outlet. Glacial till and exposed bedrock.*

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 155

FISHERY FEATURES:

ag. lt. ch. spawning downstream
MEI 1.5 sport quota

LANDSCAPE AESTHETICS:

Mountain backdrop

EXISTING USES:

Outfitting camp

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

X 3. Other identified sources. *DFO*

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Toshingerman* DRAINAGE: *W*

LOCATION: *61°50'; 139°25'* ACCESS TYPES: *Trail/Fly-in*

SIZE: (ha) *1400* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *5* *N.T.S. *115 S 1/2 H*

ACCESS DISTANCE (from nearest town or highway): (km)

55 km NW of Burwash Landing

SITE DESCRIPTION:

Topography and Surficial Geology: *Basically overgrown potholes. Some rocky krolls. Mostly low lying Spruce swamp. Mostly organic.*

VEGETATION:

Terrestrial and Aquatic: *Spruce*
Shrub - moss understory

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

No good data. Poss. lt. np. ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Wellesley* **DRAINAGE:** Y

LOCATION: *62°20'; 139°50'* **ACCESS TYPES:** *Fly-in*

SIZE: (ha) 7381 **ELEVATION: (m)** 579 **MEAN DEPTH: (m)** 23.9

MAP REFERENCE: *Y.R.B.S. 5 *N.T.S. 115 N 1/2 E

ACCESS DISTANCE (from nearest town or highway): (km)

30 km E of Snag

SITE DESCRIPTION:

Topography and Surficial Geology: *Flat terrain. Some sand/cobble beaches. Mostly well-drained organic shoreline over glacial till.*

VEGETATION:

Terrestrial and Aquatic: *Mostly willow. Some spruce and poplar on benches. Extensive aquatic vegetation.*

HYDROLOGIC CHARACTERISTICS:

TDS 166

FISHERY FEATURES:

ag. lt. np. sport quota
MEI 6.97 *Very high quality fishery - probably declining. Special angling regulation.*

LANDSCAPE AESTHETICS:

EXISTING USES:

Lodge

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

Historic RCMP site. Waterfowl values. Geese and swans.

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

TESLIN

SUB-BASIN

LAKES

LAKE

NAME: Baker DRAINAGE: T.

LOCATION: 61°00'; 134°05' ACCESS TYPES: Fly-in

SIZE: (ha) 480 ELEVATION: (m) 730 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW

ACCESS DISTANCE (from nearest town or highway): (km)

60 km NE of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES: ag. lt. fly-in sport fishing

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Dalayee* DRAINAGE: *T*

LOCATION: *60°20'; 133°40'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *1060* ELEVATION: (m) *1036* MEAN DEPTH: (m) *17.3*

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW L*

ACCESS DISTANCE (from nearest town or highway): (km)

25 km SW of Johnson's Crossing

SITE DESCRIPTION:

Topography and Surficial Geology: *Situated in fairly steep walled valley.*

VEGETATION:

Terrestrial and Aquatic: *Mostly recent burn.*

HYDROLOGIC CHARACTERISTICS:

TDS 115

FISHERY FEATURES:

MEI 6.65 small lt. Popular fly-in lake.

LANDSCAPE AESTHETICS:

Situated in large burn.

EXISTING USES:

Outfitters camp.

RECREATIONAL FEATURES:

Cottage sites at outlet.

RECREATIONAL CAPABILITY:

Med.

RECREATIONAL POTENTIAL:

Med.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Dorsey* DRAINAGE: T

LOCATION: *60°09';131°35'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *380* ELEVATION: (m) *936* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SE D*

ACCESS DISTANCE (from nearest town or highway): (km)

60 km E of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology:	*Small lake. Attractive sandy points. Glacial hills and bedrock.*

VEGETATION:

Terrestrial and Aquatic:	*Mostly Spruce, some Jackpine.*

HYDROLOGIC CHARACTERISTICS:

Steep drop-offs on north shore.

FISHERY FEATURES:

lt. ag.

Domestic Licences.

LANDSCAPE AESTHETICS:

EXISTING USES:

Trapline base.

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low-Mod.

RECREATIONAL POTENTIAL:

Low-Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Fish* DRAINAGE: *T*

LOCATION: *60°37'; 132°04'* ACCESS TYPES: *Trail/Fly-in*

SIZE: (ha) *850* ELEVATION: (m) *915* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW N*

ACCESS DISTANCE (from nearest town or highway): (km)

60 km NE of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: *Swampy backshores.*

VEGETATION:

Terrestrial and Aquatic: *Spruce*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np. lt.

Satellite for Wolf L. lodge.

LANDSCAPE AESTHETICS:

Dull and flat.

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Gladys* DRAINAGE: T 30)

LOCATION: *59°50'; 132°50'* ACCESS TYPES: *Road*

SIZE: (ha) *Approx. 7000* ELEVATION: (m) *880* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *104 NW (1:500,000)*

ACCESS DISTANCE (from nearest town or highway): (km)

Road approx. 70 km from Atlin.

SITE DESCRIPTION:

Topography and Surficial Geology: *Situated in wide valley.*

VEGETATION:

Terrestrial and Aquatic: *Timber to shoreline. Extensive adjacent swamps.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. np. ag.

LANDSCAPE AESTHETICS:

Good vistas

EXISTING USES:

Outfitter camp

RECREATIONAL FEATURES:

Angling. Hunting.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

9 B.C. Map Reserves

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Hall
DRAINAGE: T

LOCATION: 59°51'; 132°29'
ACCESS TYPES: Air

SIZE: (ha) Approx. 1500
ELEVATION: (m) 780
MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6
*N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

35 km S of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology:	Wide timbered valley.

VEGETATION:

Terrestrial and Aquatic:	Spruce to shoreline. Extensive swamps.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. w.
Fly-in from Atlin

LANDSCAPE AESTHETICS:

Good vistas

EXISTING USES:

RECREATIONAL FEATURES:

Easy access to Alpine.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Ice Lakes DRAINAGE: T

LOCATION: 60°25'; 131°20' ACCESS TYPES: Fly-in

SIZE: (ha) 340(T) ELEVATION: (m) 1340 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SE D

ACCESS DISTANCE (from nearest town or highway): (km)

80 km NE of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: High elevation. Attractive setting. 3 small lakes. H.W. Morley R.

VEGETATION:

Terrestrial and Aquatic: Scrub - Sub Alpine

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Poor - ag.

LANDSCAPE AESTHETICS:

Attractive setting.

EXISTING USES:

RECREATIONAL FEATURES:

Good access to alpine.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Leaf DRAINAGE: T

LOCATION: 60°43'; 131°53' ACCESS TYPES: Fly-in

SIZE: (ha) 200 ELEVATION: (m) 1065 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SE C

ACCESS DISTANCE (from nearest town or highway): (km)

70 km NE of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
[✓ 4. Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Little Squanga* DRAINAGE: *T*

LOCATION: *60°31'; 133°47'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *320* ELEVATION: (m) *885* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW K*

ACCESS DISTANCE (from nearest town or highway): (km)
25 km NW Johnson's Crossing
70 km SE Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. [✓ Other identified sources.] D.F.O.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Little Teslin DRAINAGE: T

LOCATION: 60°29'; 133°23' ACCESS TYPES: Road

SIZE: (ha) 350 ELEVATION: (m) 683 MEAN DEPTH: (m) est. 10

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW L

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 5 km from Johnson's Crossing.

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle slopes. Well drained. Sandy and Gravel over Glacial Till.

VEGETATION:

Terrestrial and Aquatic: Fir, Spruce, Aspen

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np. lt. ag.

LANDSCAPE AESTHETICS:

Moderately scenic.

EXISTING USES:

Surveyed cottage site.

RECREATIONAL FEATURES:

Near Highway. Local use.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Mary* DRAINAGE: *T*

LOCATION: *60°40': 133°59'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *430* ELEVATION: (m) *730* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW K*

ACCESS DISTANCE (from nearest town or highway): (km)

60 km E of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep slopes. Poor shoreline.*

VEGETATION:

Terrestrial and Aquatic: *Fairly dense Spruce.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag.

LANDSCAPE AESTHETICS:

Mod.

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: May DRAINAGE: T

LOCATION: 40°40'; 131°37' ACCESS TYPES: Fly-in

SIZE: (ha) 260 ELEVATION: (m) 1006 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SE C

ACCESS DISTANCE (from nearest town or highway): (km)

75 km NE of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. ☒ Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: McNeil DRAINAGE: T

LOCATION: 61°20'; 131°53' ACCESS TYPES: Fly-in

SIZE: (ha) 450 ELEVATION: (m) 1120 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SE 3

ACCESS DISTANCE (from nearest town or highway): (km)
125 km N (E) of Teslin
70 km SE of Ross R.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. ch. BIS

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources. DFO
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE NOT LOCATED

NAME: Miller DRAINAGE: T

LOCATION: ACCESS TYPES: Fly-in

SIZE: (ha) ELEVATION: (m) MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S.

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. ch. np. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

ESA 30

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Morley* DRAINAGE: *T*

LOCATION: *60°00'; 132°05'* ACCESS TYPES: *Road*

SIZE: (ha) *1110* ELEVATION: (m) *790* MEAN DEPTH: (m) *8*

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW H*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 40 km SE of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology:	*Gentle backshores at inlet, otherwise swampy.*

VEGETATION:

Terrestrial and Aquatic:	*Mostly Spruce. Extensive weed beds.*

HYDROLOGIC CHARACTERISTICS:

TDS 60
Fairly sheltered water body.

FISHERY FEATURES:

MEI 7.43

ag. ch. np. lt.

LANDSCAPE AESTHETICS:

Good vistas. Attractive valley.

EXISTING USES:

RECREATIONAL FEATURES:

Some cobble/sand beaches.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod. Good access. First real lake after long stretch of dull highway.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. *DFO*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Morris* DRAINAGE: T

LOCATION: *60°27'; 131°40'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *1760* ELEVATION: (m) *995* MEAN DEPTH: (m) *est. 15*

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SE D*

ACCESS DISTANCE (from nearest town or highway): (km)

65 km NE of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: *Flat setting. Cobble beaches. Organic bays.*

VEGETATION:

Terrestrial and Aquatic: *Spruce. Ligh understory.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. ch. (?) np. lt.

LANDSCAPE AESTHETICS:

Fair vistas. Dull local scenery.

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low-Mod.

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

In IBP area #18
In ESA area #30

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Moss DRAINAGE: T

LOCATION: 61°14'; 132°11' ACCESS TYPES: Fly-in

SIZE: (ha) 550 ELEVATION: (m) 1005 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW 0

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 165 km NE of Whse.
115 km N of Teslin.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Munson **DRAINAGE:** T

LOCATION: 60°10'; 131°18' **ACCESS TYPES:** Fly-in

SIZE: (ha) 175 **ELEVATION:** (m) 1097 **MEAN DEPTH:** (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SE D

ACCESS DISTANCE (from nearest town or highway): (km)

75 km E of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Nisutlin DRAINAGE: T

LOCATION: 61°06'; 132°05' ACCESS TYPES: Fly-in

SIZE: (ha) 1500 ELEVATION: (m) 795 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW A

ACCESS DISTANCE (from nearest town or highway): (km)

160 km NE of Whse.
110 km N of Teslin.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np. ch. BIS

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

ESA #30

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Nome DRAINAGE: T

LOCATION: 59°40; 130°54' ACCESS TYPES: Fly-in

SIZE: (ha) Approx 900 ELEVATION: (m) Approx 850 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

100 km SE of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

High (R.C.)

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. ☒ Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Peters DRAINAGE: T

LOCATION: 60°36'; 131°43' ACCESS TYPES: Fly-in

SIZE: (ha) 225 ELEVATION: (m) 990 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SE C

ACCESS DISTANCE (from nearest town or highway): (km)

72 km NE of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 30
IBP 18

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Red. R. DRAINAGE: T

LOCATION: 61°00'; 132°11' ACCESS TYPES: Fly-in

SIZE: (ha) 525 ELEVATION: (m) 1036 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW 0

ACCESS DISTANCE (from nearest town or highway): (km)

105 km NE of Whse.
95 km N of Teslin.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. BIS

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 30

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Rosie (see Swift L.)* DRAINAGE: *T*

LOCATION: *60°54'; 133°51'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *440* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW K*

ACCESS DISTANCE (from nearest town or highway): (km)

70 km E of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. ag. BIS

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
[✓ 2. Data consistent with 1. above.]
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Rudy Lks.* DRAINAGE: *T*

LOCATION: *60°13'; 131°13'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *400* ELEVATION: (m) *1340* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SE D*

ACCESS DISTANCE (from nearest town or highway): (km)

85 km E of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther *X*

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Sidney DRAINAGE: T

LOCATION: 60°48'; 133°01' ACCESS TYPES: Road

SIZE: (ha) 200 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW K

ACCESS DISTANCE (from nearest town or highway): (km)
110 km E of Whse.
75 km NW of Teslin.

SITE DESCRIPTION:

Topography and Surficial Geology: Steep slopes. Poor backshore drainage. Glacial Till. Rocky. Organic patches.

VEGETATION:

Terrestrial and Aquatic: White Spruce. Heavy blowdown.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Closed YTG campground.

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.

X 2. Data consistent with 1. above.

3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
* N.T.S. = National Topographic Series

LAKE

NAME: Slim DRAINAGE: T

LOCATION: 60°23'; 131°39' ACCESS TYPES: Fly-in

SIZE: (ha) 325 ELEVATION: (m) 1006 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SE D

ACCESS DISTANCE (from nearest town or highway): (km)

65 km NE of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: Flat relief. Glacial Till.

VEGETATION:

Terrestrial and Aquatic: Spruce and Pine.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

Dull.

EXISTING USES:

RECREATIONAL FEATURES:

Cobble and sand beaches. Alpine access.

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

IBP 18
ESA 30

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Squanga
DRAINAGE: T

LOCATION: 60°28'; 133°39'
ACCESS TYPES: Road Hwy.

SIZE: (ha) 1020
ELEVATION: (m) 792
MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6
*N.T.S. 105 SW L

ACCESS DISTANCE (from nearest town or highway): (km)
Approx. 20 km W of Johnson's Crossing
25 km E of Jakes Corner

SITE DESCRIPTION:

Topography and Surficial Geology: Low relief. Glacial tills. Extensive swamp.

VEGETATION:

Terrestrial and Aquatic: Spruce. Heavy understory.

HYDROLOGIC CHARACTERISTICS:

DS 119

FISHERY FEATURES:

MEI 12.9
ag. np. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

YTG campground

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistant with 1. above.

X 3. Other identified sources. DFO

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Sterlin* DRAINAGE: T

LOCATION: *60°08'; 133°10'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *220* ELEVATION: (m) *1036* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW L*

ACCESS DISTANCE (from nearest town or highway): (km)

25 km W of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. prob. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Summit DRAINAGE: T

LOCATION: 60°26'; 133°40' ACCESS TYPES: Road

SIZE: (ha) 300 ELEVATION: (m) 885 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW 1

ACCESS DISTANCE (from nearest town or highway): (km)
Approx. 30 km W of Johnson's Crossing
Approx. 20 km E of Jakes Corner

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle-Mod. slopes. Sand and Gravel Backshore. Marshy Shoreline.

VEGETATION:

Terrestrial and Aquatic: White Spruce - Scrubby

HYDROLOGIC CHARACTERISTICS: Water data DFO

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:
Low

RECREATIONAL POTENTIAL:
Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources. DFO
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Swan DRAINAGE: T

LOCATION: 59°53; 131°25' ACCESS TYPES: Road

SIZE: (ha) Approx 700 ELEVATION: (m) 841 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 80 km SE of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: In wide valley. Flat relief. Marshy Shore.

VEGETATION:

Terrestrial and Aquatic: Spruce. Heavy understory.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np.

LANDSCAPE AESTHETICS:

Dull - good vistas

EXISTING USES:

RECREATIONAL FEATURES:

Mod.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

2 B.C. Park reserves

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Swift* DRAINAGE: *T*

LOCATION: *60°52'; 133°48'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *250* ELEVATION: (m) *760* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW*

ACCESS DISTANCE (from nearest town or highway): (km)

70 km E. of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep slopes. Sandy and marshy shorelines.*

VEGETATION:

Terrestrial and Aquatic: *Spruce*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

Very attractive setting.

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. X Data consistent with 1. above.
3. X Other identified sources. *Pers. Comm.*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Teenah* DRAINAGE: *T*

LOCATION: *60°18'; 133°25'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *240* ELEVATION: (m) *853* MEAN DEPTH: (m) *9.35*

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW L*

ACCESS DISTANCE (from nearest town or highway): (km)

40 km NW of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 110

FISHERY FEATURES:

ag. lt. MEI 11.8

LANDSCAPE AESTHETICS:

EXISTING USES:

Lodge

RECREATIONAL FEATURES:

Lodge--horses, trail rides, boat rental.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. x Other identified sources. *DFO Pers. Comm.*
4. x Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Teslin* DRAINAGE: *T*

LOCATION: *60°17'; 133°00'* ACCESS TYPES: *Road*

SIZE: (ha) *381,000* ELEVATION: (m) *683* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SW L*

ACCESS DISTANCE (from nearest town or highway): (km)

Teslin

SITE DESCRIPTION:

Topography and Surficial Geology:	*Gentle backshores. Abundant cobble beaches.*

VEGETATION:

Terrestrial and Aquatic:	*Varied*

HYDROLOGIC CHARACTERISTICS:

Mod. sport fishery

FISHERY FEATURES:

ag. lt. np.
Commercial Licences. Plenty of DFO file info.

LANDSCAPE AESTHETICS:

Attractive local and distant vistas.

EXISTING USES:

Cottage subdivision
Commercial facilities

RECREATIONAL FEATURES:

Campsite. Cottaging.

RECREATIONAL CAPABILITY:

High

RECREATIONAL POTENTIAL:

High

OTHER FEATURES:

NCPC Flood Reserve

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

N.B. Too large for one lake sheet

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: 30 Mile Lake **DRAINAGE:** T

LOCATION: 60°48': 132°32' **ACCESS TYPES:** Fly-in

SIZE: (ha) 750 **ELEVATION:** (m) 813 **MEAN DEPTH:** (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 105 SW 11

ACCESS DISTANCE (from nearest town or highway): (km)

70 km N of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. np. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Wolf* DRAINAGE: *T*

LOCATION: *60°37'; 131°40'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *7350* ELEVATION: (m) *991* MEAN DEPTH: (m) *25.6*

MAP REFERENCE: *Y.R.B.S. *6* *N.T.S. *105 SE C*

ACCESS DISTANCE (from nearest town or highway): (km)
75 km NE of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: *On plateau. Glacial till. Marshy shorelines in bays.*

VEGETATION:

Terrestrial and Aquatic: *Spruce. Some Aspen.*

HYDROLOGIC CHARACTERISTICS:

TDS 53

FISHERY FEATURES:

Lodge
MEI - 1.99 *Sport Quota*
ag. lt. np.

LANDSCAPE AESTHETICS: *Low productivity.* *Commercial licence.*

EXISTING USES:

RECREATIONAL FEATURES:

Lodge - good operation.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

X 3. Other identified sources. *DFO*

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

UPPER YUKON

SUB-BASIN

LAKES

LAKE

NAME: *Alligator* DRAINAGE: *UY*

LOCATION: *60°23'; 135°21'* ACCESS TYPES: *Poor Road*

SIZE: (ha) *629* ELEVATION: (m) *1128* MEAN DEPTH: (m) *5.42*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW D*

ACCESS DISTANCE (from nearest town or highway): (km)

40 km SW of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep shoreline*

VEGETATION:

Terrestrial and Aquatic: *White Spruce*

HYDROLOGIC CHARACTERISTICS:

TDS 31

FISHERY FEATURES:

MEI 5.72

np. ag. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

Popular hunting area.
Cabins (lease?)

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. *DFO*
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Annic DRAINAGE: UY

LOCATION: 60°19'; 134°59' ACCESS TYPES: Road

SIZE: (ha) 200 ELEVATION: (m) 855 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW E

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 50 km SW of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

No recorded sport fish ?

LANDSCAPE AESTHETICS:

EXISTING USES:

Cottages

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. Too large for single sheet.

NAME: *Atlin* DRAINAGE: *UV*

LOCATION: *60°00'; 133°49'* ACCESS TYPES: *Road*

SIZE: (ha) *601,000* ELEVATION: (m) *668* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW L*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 150 km S of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Spectacular setting. High peaks adjacent to lake.*

VEGETATION:

Terrestrial and Aquatic: *Spruce/Decid. Varies with location.*

HYDROLOGIC CHARACTERISTICS:

Large lake. File in DFO Whse. subject to wind action.

FISHERY FEATURES:

ag. np. lt.
Commercial quota.

LANDSCAPE AESTHETICS:

Highly scenic

EXISTING USES:

Extensive recreational use-cottaging.

RECREATIONAL FEATURES:

5 B.C. Park Reserves. Power boat use. Sailing. Atlin Provincial Park. Commercial facilities.

RECREATIONAL CAPABILITY:

High

RECREATIONAL POTENTIAL:

High

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Bennett* DRAINAGE: *UY*

LOCATION: *60°05'; 134°50'* ACCESS TYPES: *Road*

SIZE: (ha) *9300* ELEVATION: (m) *656* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW E*

ACCESS DISTANCE (from nearest town or highway): (km)

Carcross

SITE DESCRIPTION:

Topography and Surficial Geology:	*Mountain setting. Glacial till/bedrock Spruce Decid. to lakeshore*

VEGETATION:

Terrestrial and Aquatic:	*Spruce/Decid. to lakeshore.*

HYDROLOGIC CHARACTERISTICS:

Subject to squalls.

FISHERY FEATURES:

lt. w. np. ag. Low productivity.
Extensive file data. Commercial Quota.
Popular domestic fishery.

LANDSCAPE AESTHETICS:

High

EXISTING USES:

RECREATIONAL FEATURES:

Historic values

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.
Proposed VTG parksite.

OTHER FEATURES:

ESA 27, 28, 29

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Bernhard*

DRAINAGE: *UY* (B.C.)

LOCATION: *40°40'; 135°03'*

ACCESS TYPES: *Fly-in*

SIZE: (ha) *250*

ELEVATION: (m) *750*

MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *104 N W*

ACCESS DISTANCE (from nearest town or highway): (km)

35 km W of Skagway

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

Adjacent to White Pass Railway

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Big Salmon DRAINAGE: UY

LOCATION: 61°17'; 133°15' ACCESS TYPES: Fly-in/River/Trail/4 W.D.

SIZE: (ha) 1500 ELEVATION: (m) 823 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 6 *N.T.S. 165 SW, J

ACCESS DISTANCE (from nearest town or highway): (km)

115 km NE of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:	Gentle to steep. Some steep ridges. Sandy. Thin organic.

VEGETATION:

Terrestrial and Aquatic:	Pine/Aspen. Some Spruce.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

w. ag. lt. ch. spawning downstream for 8 km.

LANDSCAPE AESTHETICS:

Attractive

EXISTING USES:

RECREATIONAL FEATURES:

Sandy beaches.
Part of canoe route on Big Salmon River.

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

Waterfowl use

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Brownlee* DRAINAGE: *UY*

LOCATION: *59°37'; 134°28'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *500* ELEVATION: (m) *Approx. 350* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *104 N W*

ACCESS DISTANCE (from nearest town or highway): (km)

40 km W of Atlin

SITE DESCRIPTION:

Topography and Surficial Geology: *Many islands*

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Bryde* DRAINAGE: *UV*

LOCATION: *60°04'; 133°12'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *250* ELEVATION: (m) *1036* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW L*

ACCESS DISTANCE (from nearest town or highway): (km)

30 km SW of Teslin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 35

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓ x]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Cantile DRAINAGE: UY

LOCATION: 60°40'; 134°50' ACCESS TYPES: Road (?) Fly-in

SIZE: (ha) 300 ELEVATION: (m) 875 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW F

ACCESS DISTANCE (from nearest town or highway): (km)

15 km SE of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Chadburn DRAINAGE: UY

LOCATION: 60°39'; 134°58' ACCESS TYPES: Road

SIZE: (ha) 178 ELEVATION: (m) 730 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW F

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 10 km S of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle slopes. Glacial till.

VEGETATION:

Terrestrial and Aquatic: Spruce/Fir Decid.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Lt. w.
Extensive DFO Data file
Good early-season angling

LANDSCAPE AESTHETICS:

Attractive setting

EXISTING USES:

Cabins - Canoe Club - Summer Camp.

RECREATIONAL FEATURES:

Popular "Backyard" lake for Whitehorse.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.
Proposed as a Park Reserve. Included in Whitehorse Dev. area plan.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Chain DRAINAGE: UY

LOCATION: 61°50'; 135°35' ACCESS TYPES: Fly-in

SIZE: (ha) 750 ELEVATION: (m) 700 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW A

ACCESS DISTANCE (from nearest town or highway): (km)

125 km N of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:	Gentle/steep. 30' drop-off to shoreline. Rock. Thin organic.

VEGETATION:

Terrestrial and Aquatic:	Scrubby Spruce/Pine

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np. BIS

LANDSCAPE AESTHETICS:

Scenic local settings

EXISTING USES:

RECREATIONAL FEATURES:

Fly-in canoe use.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE CAN'T LOCATE

NAME: Coal DRAINAGE: UY

LOCATION: ACCESS TYPES:

SIZE: (ha) ELEVATION: (m) MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *N.T.S.

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Claire* DRAINAGE: *UY*

LOCATION: *61°53'; 135°20'* ACCESS TYPES: *Fly-in/Trail up Fife Cr.*

SIZE: (ha) *2040* ELEVATION: (m) *701* MEAN DEPTH: (m) *52.9*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW F*

ACCESS DISTANCE (from nearest town or highway): (km)

130 km N of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Variable. Gentle/steep. In Narrow Valley. Glacial till. Bedrock and then organic.*

VEGETATION:

Terrestrial and Aquatic: *Spruce - some open slopes. Many dead trees.*

HYDROLOGIC CHARACTERISTICS:

TDS 153

FISHERY FEATURES:

lt. np. ag. MEI 2.89
Sport Quota
Exceptional N.P. angling

LANDSCAPE AESTHETICS:

EXISTING USES:

Hunting.

RECREATIONAL FEATURES:

Popular Fly-in lake.

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

YTG Cabin

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources. *DFO*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Cowley* DRAINAGE: *UY*

LOCATION: *60°30'; 134°53'* ACCESS TYPES: *Road*

SIZE: (ha) *325* ELEVATION: (m) *750* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW F*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 25 km S of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Rolling topo. - open slopes. Glacial till.*

VEGETATION:

Terrestrial and Aquatic: *Spruce, Pine - fairly open grassy slopes*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Lt. ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

Rural Residential and cottaging

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Coghlan* DRAINAGE: *UV*

LOCATION: *61°33'; 135°29'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *823* ELEVATION: (m) *732* MEAN DEPTH: (m) *23.8*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW F*

ACCESS DISTANCE (from nearest town or highway): (km)

90 km NW of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep E shore. Gentle slope W. Rocky.*

VEGETATION:

Terrestrial and Aquatic: *Spruce, Aspen. Most of W shore burn.*

HYDROLOGIC CHARACTERISTICS:

TDS 304

FISHERY FEATURES:

MEI 12.8
ag. np. lt.
sport quota

LANDSCAPE AESTHETICS:

EXISTING USES:

cottaging
lodge

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

Commercial lease.

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.

x 2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Crag* DRAINAGE: *UY*

LOCATION: *60°14'; 134°30'* ACCESS TYPES: *Road*

SIZE: (ha) *732* ELEVATION: (m) *732* MEAN DEPTH: (m) *23.8*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105SW E*

ACCESS DISTANCE (from nearest town or highway): (km)

15 km E. Carcross

SITE DESCRIPTION:

Topography and Surficial Geology:	*Flat topo. - gentle slopes. Very marshy shoreline. Glacial till.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce/Pine. Extensive willow. Sedge beds.*

HYDROLOGIC CHARACTERISTICS: *TDS 121*

FISHERY FEATURES:

MEI 8.01
ag. lt. np.

LANDSCAPE AESTHETICS:

Low

EXISTING USES:

Cottaging. Squatting.

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

ESA 27, 28, 29.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Crater* DRAINAGE: UY (B.C.)

LOCATION: 59°43'; 135°13' ACCESS TYPES: *Trail/Fly-in*

SIZE: (ha) 250 ELEVATION: (m) 1000 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 M/

ACCESS DISTANCE (from nearest town or highway): (km)

30 km N of Skagway

SITE DESCRIPTION:

Topography and Surficial Geology: *Alpine*

VEGETATION:

Terrestrial and Aquatic: *Alpine*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Chilkoot Trail

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Drury* DRAINAGE: *UY*

LOCATION: *62°20'; 134°45* ACCESS TYPES: *Fly-in*

SIZE: (ha) *2700* ELEVATION: (m) *730* MEAN DEPTH: (m) *54.7*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 N 1/2 E*

ACCESS DISTANCE (from nearest town or highway): (km)

60 km NW of Faro

SITE DESCRIPTION:

Topography and Surficial Geology:	*Narrow steep valley. Variable gentle/steep. Glacial till.*

VEGETATION:

Terrestrial and Aquatic:	*Sub-alpine Spruce scrubby Willow and Ground Birch*

HYDROLOGIC CHARACTERISTICS:

TDS 80

FISHERY FEATURES:

lt. np. ag.
MEI 1.46

LANDSCAPE AESTHETICS:

Scenic

EXISTING USES:

Outfitter camp

RECREATIONAL FEATURES:

Alpine Access

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above. X
3. Other identified sources. *DFO* X
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Edgar* DRAINAGE: *UV (B.C.)*

LOCATION: *59°24'; 134°10'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *800* ELEVATION: (m) *850* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *104 NW*

ACCESS DISTANCE (from nearest town or highway): (km)

30 km SW of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Fantail DRAINAGE: UY (B.C.)

LOCATION: 59°37'; 134°30 ACCESS TYPES: Fly-in

SIZE: (ha) 1000 ELEVATION: (m) 700 + MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 N W

ACCESS DISTANCE (from nearest town or highway): (km)

40 km W of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

Outfitter camp

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Fish
DRAINAGE: UV

LOCATION: 60°37': 135°15'
ACCESS TYPES: Road

SIZE: (ha) 1320
ELEVATION: (m) 1320
MEAN DEPTH: (m) 16.5

MAP REFERENCE: *Y.R.B.S. 7
*N.T.S. 105 SW C

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 25 km by road from Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: Flat local topog. Glacial tills. Spruce/Pine/Poplar/Willow

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

TDS 90

FISHERY FEATURES:

ag. lt. np.
MEI 5.45

LANDSCAPE AESTHETICS:

Mod.

EXISTING USES:

Cottaging.
Reservoir for Yukon Electric.

RECREATIONAL FEATURES:

Campsite.
Horse Rental base.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Fox (Laberge) DRAINAGE: UY

LOCATION: 61°16'; 135°30' ACCESS TYPES: Highway

SIZE: (ha) 1660 ELEVATION: (m) 765 MEAN DEPTH: (m) 28.6

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW B

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 60 km N of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:	Rolling topo. on E steep on W sedimentary - Glacial till - bedrock

VEGETATION:

Terrestrial and Aquatic:	Spruce and Pine

HYDROLOGIC CHARACTERISTICS:

TDS 2.3

FISHERY FEATURES:

Was once a good fishery--overfished
ag. lt. np.
MEI 7.45

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

YTG campsite/Boat-launch
Popular tourist and local use site

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Fox (McLintock) DRAINAGE: UY

LOCATION: 60°28': 134°40' ACCESS TYPES: Trail

SIZE: (ha) 350 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW F

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 80 km SE of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Frank* DRAINAGE: *UY*

LOCATION: *61°42'; 135°23'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *586* ELEVATION: (m) *640* MEAN DEPTH: (m) *17.7*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW A*

ACCESS DISTANCE (from nearest town or highway): (km)

110 km N of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Gentle - Locally rugged relief*
Sandy - gravel - little organic.

VEGETATION:

Terrestrial and Aquatic: *Spruce. Many open slopes.*

HYDROLOGIC CHARACTERISTICS:

TDS 281

FISHERY FEATURES:

MEI 15.9
Sport quota

LANDSCAPE AESTHETICS:

Scenic

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Low/Mod.

OTHER FEATURES:

Lease

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistent with 1. above.

X 3. Other identified sources. *DFO*

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. See Tagish Lake

NAME: *Graham Inlet (Tagish)* DRAINAGE: *UY (B.C.)*

LOCATION: *59°37' 134°00'* ACCESS TYPES: *Fly-in/Boat*

SIZE: (ha) *2000 (?)* ELEVATION: (m) *655* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *104 NW*

ACCESS DISTANCE (from nearest town or highway): (km)

10 km NW of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

Lodge

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Harrison* DRAINAGE: *UY*

LOCATION: *60°57'; 136°06'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *150* ELEVATION: (m) *915* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *115 S 1/2 S*

ACCESS DISTANCE (from nearest town or highway): (km)

80 km NE of Haines Jct.

SITE DESCRIPTION:

Topography and Surficial Geology:	*Variable - Gentle-Mod.* *Slopes rocky*

VEGETATION:

Terrestrial and Aquatic:	*sub-alpine spruce/fir shrub birch/willow*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt. ag.

LANDSCAPE AESTHETICS:

spectacular setting

EXISTING USES:

RECREATIONAL FEATURES:

some sandy beaches
alpine access

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. [✓ X] Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Homan DRAINAGE: UY (B.C.)

LOCATION: 59°52'; 135°13' ACCESS TYPES: Fly-in

SIZE: (ha) 800 ELEVATION: (m) 700 + MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 M

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Hutshi (Central)* DRAINAGE: *UY*

LOCATION: *61°10'; 136°35'* ACCESS TYPES: *Trail (4 x 4 Road)*

SIZE: (ha) *234* ELEVATION: (m) *732* MEAN DEPTH: (m) *5.13*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *115 S 1/2 K*

ACCESS DISTANCE (from nearest town or highway): (km) *70 km NE of Haines Jct.*

SITE DESCRIPTION:

Topography and Surficial Geology: *Variable/Gentle E; steep on W. Swampy. Extensive beaver dams.*

VEGETATION:

Terrestrial and Aquatic: *Spruce - Many fallen dead trees.*

HYDROLOGIC CHARACTERISTICS:

TDS 166

FISHERY FEATURES:

lt. ag. w.
MEI 32.4

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources. *DFO*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. Two Lakes

NAME: Hutshi Lake (North) DRAINAGE: UV

LOCATION: 61°10'; 136°35' ACCESS TYPES: Trail (4 x 4 Road)

SIZE: (ha) 510 ELEVATION: (m) 732 MEAN DEPTH: (m) 1.81

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 115 S 1/2 K

ACCESS DISTANCE (from nearest town or highway): (km)

70 km NE of Haines Jct.

SITE DESCRIPTION:

Topography and Surficial Geology: Moderate
Till - extensive organic. Extensive swamp.

VEGETATION:

Terrestrial and Aquatic: Spruce
Willow

HYDROLOGIC CHARACTERISTICS:

TDS 50

FISHERY FEATURES:

ag. lt. w.
MEI 27.6

LANDSCAPE AESTHETICS:

Good views

EXISTING USES:

Trapping Base

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low/Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

Abandoned settlement.

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Jackson* DRAINAGE: *UY*

LOCATION: *60°42';135°16'* ACCESS TYPES: *Road*

SIZE: (ha) *200 ±* ELEVATION: (m) *900* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *1055 W C*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 25 km W of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

No available fishery data (?)

LANDSCAPE AESTHETICS:

Attractive

EXISTING USES:

Cottaging
Hydro Reservoir

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Jo-Jo DRAINAGE: UY

LOCATION: 60°35'; 136°20' ACCESS TYPES: Fly-in

SIZE: (ha) 639 ELEVATION: (m) 889 MEAN DEPTH: (m) 30.6

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 115 2 1/2 S

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 70 km SE of Haines Jct.

SITE DESCRIPTION:

Topography and Surficial Geology:	In narrow valley. Near Alpine. Steep backshore.

VEGETATION:

Terrestrial and Aquatic:	Scrub Spruce and Fir Dwarf Willow/Birch

HYDROLOGIC CHARACTERISTICS:

TDS 33

FISHERY FEATURES:

ag. lt.
MEI 1.1
Large specimens ag. & lt.
Sport quota

LANDSCAPE AESTHETICS:

EXISTING USES:

Outfitter camp

RECREATIONAL FEATURES:

Alpine access
Game viewing

RECREATIONAL CAPABILITY:

Mod/high

RECREATIONAL POTENTIAL:

Mod/high

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. Large lake for single sheet.

NAME: Kusawa DRAINAGE: UY

LOCATION: 60°20'; 136°22' ACCESS TYPES: Road

SIZE: (ha) 14,000 ELEVATION: (m) 670 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 115 2 1/2 T

ACCESS DISTANCE (from nearest town or highway): (km)

130 km W Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:	Spectacular setting. High mountains to lakeshore.

VEGETATION:

Terrestrial and Aquatic:	Spruce/Fir/Willow Extensive marsh and swamp.

HYDROLOGIC CHARACTERISTICS:

strong winds makes surface rough.

FISHERY FEATURES:

ag. lt. np. ch. (downstream)
low productivity

LANDSCAPE AESTHETICS:

EXISTING USES:

cottaging at N end

RECREATIONAL FEATURES:

YTG campsite

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

Proposed YTG Park
ESA 23

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. *Too large for single sheet.*

NAME: Lake Laberge

DRAINAGE: UY

LOCATION: 61°10'; 135°12'

ACCESS TYPES: Road

SIZE: (ha) 21,390

ELEVATION: (m) 628

MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7

*N.T.S. 115 SW B

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 40 km N of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: Rolling topography. Much bedrock. Glacial tills. Organic at bays.

VEGETATION:

Terrestrial and Aquatic: Spruce/Pine. Extensive burns. Deciduous on burns. Open hillsides low ground cover.

HYDROLOGIC CHARACTERISTICS:

Numerous bays. Subject to sudden squalls and sustained wind.
Water info. at DFO.

FISHERY FEATURES:

Extensive file data.
ag. np. ch. cm. lt. Commercial quota.

LANDSCAPE AESTHETICS:

Attractive

EXISTING USES:

Cottage sites.

RECREATIONAL FEATURES:

Campsite. Boatlaunch.

RECREATIONAL CAPABILITY:

Mod/high

RECREATIONAL POTENTIAL:

Mod/High
Exc. cottaging potential

OTHER FEATURES:

Important waterfowl sites. Plans for access road at N end from Klondike Hwy.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Lewes DRAINAGE: UY

LOCATION: 60°23'; 134°41' ACCESS TYPES: Road

SIZE: (ha) 137 ELEVATION: (m) 738 MEAN DEPTH: (m) 17.1

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW E

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 50 km S of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:

Rolling - highly variable local relief.
Glacial tills - steep shorelines.

VEGETATION:

Terrestrial and Aquatic:

Pine/Spruce - Extensive decid.
Sparse shoreline vegetation.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Lt. (small)
Good early season angling.
MEI 10.0

LANDSCAPE AESTHETICS:

Low

EXISTING USES:

RECREATIONAL FEATURES:

Local angling use.

RECREATIONAL CAPABILITY:

Mod./Low

RECREATIONAL POTENTIAL:

Mod./Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Little Atlin*

DRAINAGE: UY

LOCATION: *60°15'; 133°55'*

ACCESS TYPES: Road

SIZE: (ha) 3790

ELEVATION: (m) 637

MEAN DEPTH: (m) 10.6

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW C

ACCESS DISTANCE (from nearest town or highway): (km)
Approx. 100 km SE of Whse.
5 km S of Jakes Corner

SITE DESCRIPTION:

Topography and Surficial Geology: *Wide valley. Lake bounded by low hills. Glacial till, extensive organic.*

VEGETATION:

Terrestrial and Aquatic: *White Spruce - mixed-aged burns. Deciduous on burns. Textensive marsh.*

HYDROLOGIC CHARACTERISTICS:

TDS 161

FISHERY FEATURES:

ag. lt. np.
MEI 15.2

LANDSCAPE AESTHETICS:

Good views

EXISTING USES:

Cottaging

RECREATIONAL FEATURES:

Popular lake with Whse. residents.
Boat launch.

RECREATIONAL CAPABILITY:

Mod

RECREATIONAL POTENTIAL:

Mod

OTHER FEATURES:

Waterfowl staging at outlet.
ESA 29

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

X 3. Other identified sources. DFO

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Little Fox Lks.* DRAINAGE: *UY*

LOCATION: *61°20'; 135°45'* ACCESS TYPES: *Road*

SIZE: (ha) *216* ELEVATION: (m) *792* MEAN DEPTH: (m) *11.3*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW E*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 85 km NW of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Two lakes with link at N.W. Gentle relief - many local steep slopes - terraces - glacial till. Thin organic layer*

VEGETATION:

Terrestrial and Aquatic: *Spruce. Aspen on terrace.*

HYDROLOGIC CHARACTERISTICS:

TDS 157

FISHERY FEATURES:

ag. lt.
MEI 13.9

LANDSCAPE AESTHETICS:

EXISTING USES:

Cottaging

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. DFO
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Little Salmon DRAINAGE: UY

LOCATION: 62°11'; 134°30' ACCESS TYPES: Road

SIZE: (ha) 6210 ELEVATION: (m) 609 MEAN DEPTH: (m) 92.6

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 N 1/2 E

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 55 km W of Faro

SITE DESCRIPTION:

Topography and Surficial Geology: Narrow valley. Generally steep shorelines and backshore. Some fans. Glacial till. Extensive bedrock.

VEGETATION:

Terrestrial and Aquatic: Heavy Spruce. Birch and Alder.

HYDROLOGIC CHARACTERISTICS:

TDS 113

FISHERY FEATURES:

Over-fished since about 1960.
ag. lt. np.
MEI 1.22

LANDSCAPE AESTHETICS:

EXISTING USES:

Extensive cottaging (58)

RECREATIONAL FEATURES:

3 YTG campgrounds and boat launch. Main recreation site for Faro.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

Traditional native campsites.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Long (Lindeman) DRAINAGE: UY

LOCATION: 61°06'; 134°48' ACCESS TYPES: ?

SIZE: (ha) 200 ELEVATION: (m) 855 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW G

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 60 km NE of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

small lt. ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

Chilkoot Trail

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Long (Nordenschold)   DRAINAGE: UY

LOCATION: 61°20'; 136°41'   ACCESS TYPES: Fly-in

SIZE: (ha) 1390   ELEVATION: (m) 1250   MEAN DEPTH: (m) 18.6

MAP REFERENCE: *Y.R.B.S. 7   *N.T.S. 115 S 1/2 R

ACCESS DISTANCE (from nearest town or highway): (km)

70 km NE of Haines Jct.

SITE DESCRIPTION:

Topography and Surficial Geology: High alpine valley. Steep on N side. Rugged shoreline. Glacial till and bedrock.

VEGETATION:

Terrestrial and Aquatic: Small spruce. Shrub birch and willow.

HYDROLOGIC CHARACTERISTICS:

TDS 113

FISHERY FEATURES:

ag. lt. w.
3.12
Sport quota

LANDSCAPE AESTHETICS:

Beautiful setting

EXISTING USES:

alpine access
Popular fly-in lake

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.

X 2. Data consistent with 1. above.

X 3. Other identified sources. DFO

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Lowry DRAINAGE: UY (B.C.)

LOCATION: 59°38'; 134°20' ACCESS TYPES: Fly-in

SIZE: (ha) Approx. 500 ELEVATION: (m) Approx. 660 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 M

ACCESS DISTANCE (from nearest town or highway): (km)

35 km W of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Mandanna DRAINAGE: UY

LOCATION: 61°55'; 135°47' ACCESS TYPES: Fly-in/Portage and Trail/Cross Yukon R.

SIZE: (ha) 850 ELEVATION: (m) 579 MEAN DEPTH: (m) 20.8

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW A

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 140 km NW of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: Generally E shore gentle slope. W more rugged. Rugged shorelines. Glacial till. Bedrock. Organic at bays.

VEGETATION:

Terrestrial and Aquatic: Spruce. Scrubby and sparse.

HYDROLOGIC CHARACTERISTICS:

TDS 270

FISHERY FEATURES:

ag. np. lt.
MEI 13 Sport Quota

LANDSCAPE AESTHETICS:

Scenic

EXISTING USES:

Some cabins

RECREATIONAL FEATURES:

Popular Fly-in for canoe trips through Mandanna/Chain.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

X 3. Other identified sources. DFO

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

N.B. Large for a single sheet.

LAKE

NAME: *Marsh* DRAINAGE: *UY*

LOCATION: *60°30'; 134°20'* ACCESS TYPES: *Road*

SIZE: (ha) *10,100* ELEVATION: (m) *655* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW E*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 25 km SE of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:	*Gentle topography. Backshore and shorelines.* *Glacial till - extensive organic at bays.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce/pine to shoreline in most areas.* *Sedge beds - considerable aquatic vegetation.*

HYDROLOGIC CHARACTERISTICS:

subject to squalls

FISHERY FEATURES:

lt. wf. ag. np. ch.
Extensive misc. file data.

LANDSCAPE AESTHETICS:

Attractive local vistas.

EXISTING USES:

Heavy cottaging use (348)
Lake level controlled as Hydro reservoir.

RECREATIONAL FEATURES:

Very popular site with Whitehorse residents.
Campground, picnic sites, and boat launches.
Part of the southern lakes system.

RECREATIONAL CAPABILITY:

Mod/High

RECREATIONAL POTENTIAL:

Mod/High

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistant with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: McClintock DRAINAGE: UY

LOCATION: 60°36'; 133°55' ACCESS TYPES: Fly-in

SIZE: (ha) 230 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW K

ACCESS DISTANCE (from nearest town or highway): (km)

65 km SE of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 35

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther x

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: McClintock Lks. DRAINAGE: UY

LOCATION: 60°55'; 134°30' ACCESS TYPES: Fly-in/River Boat

SIZE: (ha) 400 (T) ELEVATION: (m) 730 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW F

ACCESS DISTANCE (from nearest town or highway): (km)

35 km NE of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: Mod/steep backshores. Hummocky. Glacial Till. Organic in low spots.

VEGETATION:

Terrestrial and Aquatic: Pine on dry sites. Spruce in hollows. Some aspen.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

Outfitters camp

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: McConnell DRAINAGE: UY

LOCATION: 60°27'; 134°54' ACCESS TYPES: Road

SIZE: (ha) 200 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW E

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 34 km NW of Carcross

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

No data

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Michie* DRAINAGE: *UY*

LOCATION: *60°41'; 134°10'* ACCESS TYPES: *Road*

SIZE: (ha) *388* ELEVATION: (m) *742* MEAN DEPTH: (m) *14.9*

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW F*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 70 km (by road) SE of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Steep eskers W and N. Gentle on S. Glacial till.*

VEGETATION:

Terrestrial and Aquatic: *White Spruce, pine and aspen on dry sites.*

HYDROLOGIC CHARACTERISTICS:

TDS 141

FISHERY FEATURES:

ag. lt. np. ch. spawn downstream from outlet.
MEI 9.40

LANDSCAPE AESTHETICS:

Good setting

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
X 3. Other identified sources. *DFO Pers Comm.*
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Moon DRAINAGE: UY (B.C.)

LOCATION: 59°49'; 134°38' ACCESS TYPES: Fly-in

SIZE: (ha) ±450 ELEVATION: (m) 1200 + MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

55 km NW of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Mountain DRAINAGE: UY (B.C.)

LOCATION: 59°47'; 135°10' ACCESS TYPES: Fly-in

SIZE: (ha) ±250 ELEVATION: (m) +700 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

35 km N of Skagway

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Munroe DRAINAGE: UY

LOCATION: 60°; 135° ACCESS TYPES: Fly-in

SIZE: (ha) ± 300 ELEVATION: (m) +700 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

30 km NW of Skagway

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Nares* DRAINAGE: *UY*

LOCATION: *60°10'; 134°40'* ACCESS TYPES: *Road*

SIZE: (ha) *600* ELEVATION: (m) *656* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW E*

ACCESS DISTANCE (from nearest town or highway): (km)

Carcross

SITE DESCRIPTION:

Topography and Surficial Geology:	*Part of S Lake System. Locally rolling. Flanked by higher peaks. Till. Marshy areas - organic layer.*

VEGETATION:

Terrestrial and Aquatic:	*Spruce - pine/aspen in well drained sites*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

Cottaging

RECREATIONAL FEATURES:

Historic Interest - Gold rush

RECREATIONAL CAPABILITY:

Mod/High

RECREATIONAL POTENTIAL:

Mod/High

OTHER FEATURES:

ESA 28

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Nelson DRAINAGE: UY (B.C.)

LOCATION: 59°20'; 134°12' ACCESS TYPES: Fly-in

SIZE: (ha) ± 1000 ELEVATION: (m) ± 900 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 MW

ACCESS DISTANCE (from nearest town or highway): (km)

35 km SW of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Northern DRAINAGE: UV

LOCATION: 61°44'; 133°48' ACCESS TYPES: Fly-in

SIZE: (ha) 250 ELEVATION: (m) 1036 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW I

ACCESS DISTANCE (from nearest town or highway): (km)

75 km SW of Ross R.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

BIS
lt. ag. np. ch. spawning downstream

LANDSCAPE AESTHETICS:

EXISTING USES:

Outfitter camp

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. [✓ Reid-Crowther]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Huska DRAINAGE: UV

LOCATION: 60°06'; 133°03' ACCESS TYPES: Fly-in

SIZE: (ha) 200 ELEVATION: (m) 1036 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW L

ACCESS DISTANCE (from nearest town or highway): (km)

35 km W of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: Tarfu System

VEGETATION:

Terrestrial and Aquatic: In Teslin Burn

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag lt. np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 35

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. Pers Comm.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Pike DRAINAGE: UY

LOCATION: 60°08'; 133°22' ACCESS TYPES: Fly-in

SIZE: (ha) 150 ELEVATION: (m) 1036 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW L

ACCESS DISTANCE (from nearest town or highway): (km)

35 km W of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: Tarfu System

VEGETATION:

Terrestrial and Aquatic: In Teslin Burn

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. X Other identified sources. Pers Comm.
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S = National Topographic Series

LAKE

NAME: Partridge DRAINAGE: UY (B.C.)

LOCATION: 59°58'; 135°15' ACCESS TYPES: Fly-in

SIZE: (ha) ± 700 ELEVATION: (m) + 800 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 M

ACCESS DISTANCE (from nearest town or highway): (km)

35 km SW of Carcross

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

Suspended sediments

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

Abandoned settlement

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Pleasant DRAINAGE: UY

LOCATION: 61°38'; 133°23' ACCESS TYPES: Fly-in

SIZE: (ha) 210 ELEVATION: (m) 1310 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW 1

ACCESS DISTANCE (from nearest town or highway): (km)

60 km SW of Ross R.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther ✓

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Primrose DRAINAGE: UV

LOCATION: 60°05'; 135°40' ACCESS TYPES: Fly-in

SIZE: (ha) 1500 ELEVATION: (m) 960 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW D

ACCESS DISTANCE (from nearest town or highway): (km)

SITE DESCRIPTION: 55 km W of Carcross

Topography and Surficial Geology: Sub-Alpine setting.

VEGETATION:

Terrestrial and Aquatic: Open Pine - then sub-alpine

HYDROLOGIC CHARACTERISTICS:

Silty

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

Former outfitting base

RECREATIONAL FEATURES:

Good alpine access
Wildlife viewing

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.
Recreation lodge proposal.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. Pers Comm.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Quiet DRAINAGE: UY

LOCATION: 61°05'; 133°05' ACCESS TYPES: Road

SIZE: (ha) 3780 ELEVATION: (m) 853 MEAN DEPTH: (m) 32.9

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW J

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 125 km S of Ross R.

SITE DESCRIPTION:

Topography and Surficial Geology: Steep backshore on W rising to peaks. Poorly drained mod. slopes on east. Extensive organic over till

VEGETATION:

Terrestrial and Aquatic: Heavy Spruce - some Pine and decid. on beaches. Heavy understory.

HYDROLOGIC CHARACTERISTICS:

subject to sudden squalls
TDS 72

FISHERY FEATURES:

ag. lt. np. Commercial quota
MEI 2.19

LANDSCAPE AESTHETICS:

Attractive setting

EXISTING USES:

Some cottages

RECREATIONAL FEATURES:

VTG campsite. Boat launch. Popular with Faro. Start of Big Salmon Canoe Route

RECREATIONAL CAPABILITY:

Mod

RECREATIONAL POTENTIAL:

Mod

OTHER FEATURES:

Waterfowl staying at outlet

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Racine

DRAINAGE: UY (B.C.)

LOCATION: 59°45'; 134°30'

ACCESS TYPES: Fly-in

SIZE: (ha) ± 1500

ELEVATION: (m) ± 800

MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

50 km NW of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Rose*   DRAINAGE: *UY*

LOCATION: *60°20'; 135°55'*   ACCESS TYPES: *Fly-in*

SIZE: (ha) *1125*   ELEVATION: (m) *876*   MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7*   *N.T.S. *105 SW D*

ACCESS DISTANCE (from nearest town or highway): (km)

63 km W of Carcross
60 km SW of Whse.

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

Silty

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 26

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Sandy

DRAINAGE: UY

LOCATION: 61°13'; 133°15'

ACCESS TYPES: Fly-in/Canoe

SIZE: (ha) 300

ELEVATION: (m) 823

MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7

*N.T.S. 105 SW J

ACCESS DISTANCE (from nearest town or highway): (km)

95 km SW of Ross R.

SITE DESCRIPTION:

Topography and Surficial Geology: Smaller lake, but similar setting and conditions as for QUIET LAKE.

VEGETATION:

Terrestrial and Aquatic: See Quiet Lake.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt. np. ch. spawning downstream

LANDSCAPE AESTHETICS:

Attractive setting

EXISTING USES:

RECREATIONAL FEATURES:

Part of Big Salmon Canoe Route.
Extensive beaches

RECREATIONAL CAPABILITY:

Mod/Low

RECREATIONAL POTENTIAL:

Mod/Low

OTHER FEATURES:

Waterfowl use.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Satasha* DRAINAGE: *UV*

LOCATION: *61°29'; 136°16'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *300* ELEVATION: (m) *823* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *115 S 1/2 R*

ACCESS DISTANCE (from nearest town or highway): (km)

65 km SW of Carmacks

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther [✓ X]

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Scout DRAINAGE: UY

LOCATION: 60°48'; 135°27' ACCESS TYPES: Road

SIZE: (ha) 190 ELEVATION: (m) ± 900 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 H 1/2 D

ACCESS DISTANCE (from nearest town or highway): (km)

Approx 25 km W Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:

Flat - steep access to lake.
Glacial till - some organic.

VEGETATION:

Terrestrial and Aquatic:

Spruce/Pine to lakeshore.

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Rbw. Stocked lake.
Popular - High angler success summer and winter

LANDSCAPE AESTHETICS:

Mod.

EXISTING USES:

Private campground.
Scout camp.

RECREATIONAL FEATURES:

Mod.

RECREATIONAL CAPABILITY:

Mod

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.
2. Data consistent with 1. above.
X 3. Other identified sources. DFO
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Silt* DRAINAGE: *UY (B.C.)*

LOCATION: *59°55'; 135°35'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *± 700* ELEVATION: (m) *+ 800* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *104 NW*

ACCESS DISTANCE (from nearest town or highway): (km)

45 km W of Skagway

SITE DESCRIPTION:

Topography and Surficial Geology: *Alpine*

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

Sediments - Silty

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

Aircraft cannot land
Shallow - rocks.

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Shelly*

DRAINAGE: *UY (B.C.)*

LOCATION: *59°46'; 134°45'*

ACCESS TYPES: *Fly-in*

SIZE: (ha) *± 500*

ELEVATION: (m) *± 800*

MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *104 NW*

ACCESS DISTANCE (from nearest town or highway): (km)

60 km NW of Atlin

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther X

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Snafu DRAINAGE: UY

LOCATION: 60°11'; 133°26' ACCESS TYPES: Road

SIZE: (ha) 300 ELEVATION: (m) 731 MEAN DEPTH: (m) 6.30

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW L

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 130 km SE of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: Flat. Marshy type setting. Rugged local ridges. Till on ridges. Extensive organic at shore.

VEGETATION:

Terrestrial and Aquatic: Some Pine - mostly Burn
Decid succession on burn.

HYDROLOGIC CHARACTERISTICS:

TDS 159

FISHERY FEATURES:

ag. lt. np.

MEI 25.2

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

YTG campground
Popular - well used lake

RECREATIONAL CAPABILITY:

Mod

RECREATIONAL POTENTIAL:

Mod

OTHER FEATURES:

ESA 35

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Spawn* DRAINAGE: *UY*

LOCATION: *60°03'; 133°25'* ACCESS TYPES: *Fly-in*

SIZE: (ha) *400* ELEVATION: (m) *1026* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW L*

ACCESS DISTANCE (from nearest town or highway): (km)

40 km SW of Teslin

SITE DESCRIPTION:

Topography and Surficial Geology: *Tarfu Drainage.*

VEGETATION:

Terrestrial and Aquatic: *Teslin Burn.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

np.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

ESA 35

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. x Other identified sources. *Pers. Comm.*
4. x Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Spirit DRAINAGE: UY

LOCATION: 60°15'; 134°44' ACCESS TYPES: Road

SIZE: (ha) 150 ELEVATION: (m) 760 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW E

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 55 km S of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Rolling dry area. Glacial till. Sandy.*

VEGETATION:

Terrestrial and Aquatic: *Scattered Pine stands.*
Extensive Aspen. Open grassy slopes.

HYDROLOGIC CHARACTERISTICS:

Shallow

FISHERY FEATURES:

lt. ag.

LANDSCAPE AESTHETICS:

EXISTING USES:

Several private land holdings.
Land surface alteration.

RECREATIONAL FEATURES:

Private campsite

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Surprise **DRAINAGE:** UY

LOCATION: 59°40'; 133°15' **ACCESS TYPES:** Road

SIZE: (ha) ± 2000 **ELEVATION: (m)** 941 **MEAN DEPTH: (m)**

MAP REFERENCE: ***Y.R.B.S.** 7 ***N.T.S.** 104 NW

ACCESS DISTANCE **(from nearest town or highway): (km)**

15 km NE of Atlin

SITE DESCRIPTION:

Topography and Surficial Geology:

Set in narrow valley. Steep to North and most of S. Extensive Fans (probably created by placer activity)

VEGETATION:

Terrestrial and Aquatic:

Extensive Willow and Alder.
Spruce on S.E.

HYDROLOGIC CHARACTERISTICS:

Silty - result of placer mining.

FISHERY FEATURES:

ag.

LANDSCAPE AESTHETICS:

Attractive setting.

EXISTING USES:

Extensive placer mining has changed much of the shoreline.

RECREATIONAL FEATURES:

Historic interest - Atlin Gold Rush

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

2 B.C. Park and Recreation reserves.

STATUS OF DATA BASE **(see explanatory notes)**

X 1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

N.B. Too large for single sheet.

NAME: *Tagish* DRAINAGE: *UY*

LOCATION: *60°10'; 134°20'* ACCESS TYPES: *Road*

SIZE: (ha) *35,000* ELEVATION: (m) *656* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW E*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 75 km SE of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Large system. (Too complex for simple description)*

VEGETATION:

Terrestrial and Aquatic: *Mostly Spruce. Aspen and Birch on dry sites. Virtually all vegetation types in Southern Yukon.*

HYDROLOGIC CHARACTERISTICS:

Subject to squalls

FISHERY FEATURES:

ag. lt. np. inconnu. commercial quota (used)

LANDSCAPE AESTHETICS:

Attractive settings.

EXISTING USES:

RECREATIONAL FEATURES:

YTG campground. Private facilities. Cottaging (192) Boat launch. Very popular for power boating and sail.

RECREATIONAL CAPABILITY:

High

RECREATIONAL POTENTIAL:

High

OTHER FEATURES:

ESA 27, 28, 29 - Waterfowl staging potential use conflicts.

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Takhini (and L. to NE) DRAINAGE: UY

LOCATION: 60°08'; 135°55' ACCESS TYPES: Fly-in

SIZE: (ha) 625 ELEVATION: (m) 823 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW D

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 70 km W of Carcross

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

ag. lt.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Taku Arm (Tagish) DRAINAGE: UV (Yukon/B.C.)

LOCATION: 59°40'; 139°14' ACCESS TYPES: Fly-in

SIZE: (ha) ± 10,000 ELEVATION: (m) 655 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 M

ACCESS DISTANCE (from nearest town or highway): (km)

30 km W of Atlin

SITE DESCRIPTION:

Topography and Surficial Geology:	Major arm of Tagish L. Fjord-like setting - varied topography. Cobble and some sand beaches (see TAGISH LAKE)

VEGETATION:

Terrestrial and Aquatic:	All veg. types found in Southern Yukon

HYDROLOGIC CHARACTERISTICS:

Subject to squalls

FISHERY FEATURES:

ag. lt. np.

LANDSCAPE AESTHETICS:

Attractive setting and vistas.

EXISTING USES:

RECREATIONAL FEATURES:

Part of recreational waterway for power boating.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

Historic Feature - Abandoned settlements. Ben-My-Chree

OTHER FEATURES:

ESA 27, 28, 29

STATUS OF DATA BASE (see explanatory notes)

- X 1. Personal site visits.
- X 2. Data consistent with 1. above.
- 3. Other identified sources.
- X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Tarfu*

DRAINAGE: UV

LOCATION: 60°04'; 133°43'

ACCESS TYPES: *Road*

SIZE: (ha) 419

ELEVATION: (m) 762

MEAN DEPTH: (m) 11.6

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 105 SW 1

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 120 km SE of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Located in extensive burn. Steep-rolling topo. Ridges and terraces. Till - exposed bedrock*

VEGETATION:

Terrestrial and Aquatic: *Burn - some patches of pine and aspen. Shrub understory on burn.*

HYDROLOGIC CHARACTERISTICS:

Numerous bays.
TDS 108

FISHERY FEATURES:

ag. np. lt.
MEI 13.6

LANDSCAPE AESTHETICS:

Burn spoils setting.

EXISTING USES:

RECREATIONAL FEATURES:

YTG campground. Safe boating. Popular site.

RECREATIONAL CAPABILITY:

High

RECREATIONAL POTENTIAL:

High

OTHER FEATURES:

ESA 35

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

X 2. Data consistent with 1. above.

X 3. Other identified sources. DFO

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Taye DRAINAGE: UY

LOCATION: 60°56'; 131°21' ACCESS TYPES: Fly-in/Trail

SIZE: (ha) 842 ELEVATION: (m) 701 MEAN DEPTH: (m) 2.45

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 115 S 1/2 S

ACCESS DISTANCE (from nearest town or highway): (km)

65 km NE of Haines Jct.

SITE DESCRIPTION:

Topography and Surficial Geology: Gentle to steep topo. Hummocky. Organic - silt. Eroding shoreline.

VEGETATION:

Terrestrial and Aquatic: Scrubby Spruce.
Sedge beds.

HYDROLOGIC CHARACTERISTICS:

TDS 91

FISHERY FEATURES:

ag. lt. np.
MEI 37.1 Sport quota (?)

LANDSCAPE AESTHETICS:

unattractive

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

Low

RECREATIONAL POTENTIAL:

Low

OTHER FEATURES:

ESA 23

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
X 2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Thomas* DRAINAGE: *UY*

LOCATION: *61°03'; 134°55'* ACCESS TYPES: *Trail*

SIZE: (ha) *200* ELEVATION: (m) *859* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW G*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 35 km N of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.

X4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: Turtle DRAINAGE: UY (B.C.)

LOCATION: 59°50'; 134°13' ACCESS TYPES: Fly-in

SIZE: (ha) ± 600 ELEVATION: (m) ± 900 MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

40 km NW of Atlin

SITE DESCRIPTION:

Topography and
Surficial Geology:

VEGETATION:

Terrestrial
and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
X 4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: *Tutshi* DRAINAGE: *UY (B.C.)*

LOCATION: *59°57'; 134°40'* ACCESS TYPES: *Road*

SIZE: (ha) *± 3000* ELEVATION: (m) *± 750* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *104 M*

ACCESS DISTANCE (from nearest town or highway): (km)

35 km S of Carcross

SITE DESCRIPTION:

Topography and Surficial Geology: *Set in steep narrow valley. Mountains either side. Some flat areas.*

VEGETATION:

Terrestrial and Aquatic: *Spruce/Pine on flat sides. Decid. on E shore.*

HYDROLOGIC CHARACTERISTICS:

Subject to sudden squalls and strong winds.

FISHERY FEATURES:

ag. lt.
(probably overfished since highway const.)
popular fishery

LANDSCAPE AESTHETICS:

EXISTING USES:

Guide camp

RECREATIONAL FEATURES:

Small campsite. B.C. Park Reserve
Wildlife viewing.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

X 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study

N.T.S. = National Topographic Series

LAKE

NAME: *Twin Lks.* DRAINAGE: *UY*

LOCATION: *61°43'; 135°57'* ACCESS TYPES: *Road*

SIZE: (ha) *200* ELEVATION: (m) *730* MEAN DEPTH: (m)

MAP REFERENCE: *Y.R.B.S. *7* *N.T.S. *105 SW A*

ACCESS DISTANCE (from nearest town or highway): (km)

Approx. 125 km W of Whse.

SITE DESCRIPTION:

Topography and Surficial Geology: *Adjacent to Klondike Hwy. Mostly Burn. Rolling to rough local topo. Bedrock. Thin organic. Glacial till.*

VEGETATION:

Terrestrial and Aquatic: *Post-burn deciduous. Small Poplar. Extensive shrub.*

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

Lt. np. ag. nearby Rbw. stocking.
Burn spoils attractive lake setting.

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

YTG campsite.
Boat launch.

RECREATIONAL CAPABILITY:

Mod.

RECREATIONAL POTENTIAL:

Mod.

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

x 1. Personal site visits.

2. Data consistent with 1. above.

3. Other identified sources.

4. Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

LAKE

NAME: Willow **DRAINAGE:** UY (B.C.)

LOCATION: 59°37'; 134°39' **ACCESS TYPES:** Fly-in

SIZE: (ha) ± 250 **ELEVATION:** (m) ± 800 **MEAN DEPTH:** (m)

MAP REFERENCE: *Y.R.B.S. 7 *N.T.S. 104 NW

ACCESS DISTANCE (from nearest town or highway): (km)

55 km W of Atlin

SITE DESCRIPTION:

Topography and Surficial Geology:

VEGETATION:

Terrestrial and Aquatic:

HYDROLOGIC CHARACTERISTICS:

FISHERY FEATURES:

LANDSCAPE AESTHETICS:

EXISTING USES:

RECREATIONAL FEATURES:

RECREATIONAL CAPABILITY:

RECREATIONAL POTENTIAL:

OTHER FEATURES:

STATUS OF DATA BASE (see explanatory notes)

1. Personal site visits.
2. Data consistent with 1. above.
3. Other identified sources.
4. X Reid-Crowther

*Y.R.B.S. = Yukon River Basin Study
N.T.S. = National Topographic Series

APPENDIX I

LAKE CLASSIFICATION

APPENDIX I

From: "The Yukon Sport Fishery, A Policy Oriented Assessment of Sport Fishing in Yukon", by Howard Paish & Associates, 1981

LAKES AND LAKE CLASSIFICATIONS

Lakes can be classified into several useful categories for fisheries management purposes. These classifications are important in terms of fish production, angler use and the practicability of different management measures. Some classifications are based on existing information i.e. size, location, elevation, access, etc. and that is where our effort has been focussed.

All lakes south of 64° N that could be identified on a 1:250,000 map sheet have been classified according to:

i) Drainage Systems
ii) Access
iii) Size and Size Category Only
iv) Elevation Category
v) Present Angler Use
vi) Special Features
  * Sports Fishing Lodge
  * Used by Sports Fishing Lodge
  * Application for Land Dispositions for Lodge Operation
  * Popularity with Fly-in Fishermen
  * Commercial Fish Quota

All lakes in this study can be identified and located by Map Sheet No. and a grid system devised for 1:500,000 maps. Map Sheet and grid number references have been provided for unnamed lakes. By using a 1:250,000 map scale we have arbitrarily set a minimum lake size for consideration of about 200 hectares, except in the case of named road access lakes.

a) Productivity - Oligotrophic to Eutrophic Series

This classification is important in terms of fish production. An oligotrophic lake is usually deep with steep sides, cold water and is low in total dissolved solids. Such lakes are usually young geologically and low in fish productivity. Kusawa, Bates and Little Salmon are all typical oligotrophic lakes in Yukon.

Eutrophic lakes are generally older in terms of geological processes, are richer in dissolved solids, and, from a fisheries management perspective, are more productive.

Eutrophic lakes are characterized by advancing shorelines, and eventually become marshes to complete a slow geologic process of a return to land. Frenchman, Tarfu and Snafu would be classified as eutrophic lakes. During the eutrophication process the lake reaches a point whereby oxygen depletion restricts life to lower forms.

Obviously, most lakes fall between these two extremes and because each lake is slightly different and much better site information is needed, classification of Yukon lakes under the oligotrophic to eutrophic series would be impossible at this time. The terms are useful, however, in general descriptions of individual lakes.

b) Drainage Basins

Geographically, lakes can be grouped by drainage basin. There are three major drainage basins in the Yukon south of 64° parallel (the area to which the main thrust of this report is devoted). These are the:

- Yukon River
- Alsek River
- Liard-Frances Rivers.

(The Liard-Frances system eventually drains into the Mackenzie system).

The Yukon River Drainage system itself can further be sub-divided into four sub-drainage units:

- Stewart River
- Pelly River
- White River
- Teslin River and the mainstem Yukon.

Table 1 indicates the breakdown of Yukon lakes by drainage and sub-drainage basins. A total of 277 lakes has been identified, and 76% of these are within the Yukon River drainage.

Table 1

Breakdown of Yukon Lakes by Drainage and Sub-Drainage

Road Access Lakes

Main Drainage Basins	
Liard - Mackenzie	9
Alsek	16
Yukon	68

Yukon Sub-Drainage Basins	
Yukon	37
White	4
Teslin	7
Pelly	13
Stewart	7

Non-Road Access Lakes

Main Drainage Basins	
Laird - Mackenzie	35
Alsek	8
Yukon	141

Yukon Sub-Drainage Basins	
Yukon	38
White	7
Teslin	24

Yukon Sub-Drainage Basins, cont.

Pelly	50
Stewart	22

c) Classification by Size

This is a particularly useful classification in terms of angler use and manageability. Sizes are approximate and have either been taken from existing records or are estimates based on larger scale mapping.

Yukon lakes south of 64° parallel have been classified into seven size categories as follows:

- Under 250 hectares
- 250 - 500 hectares
- 500 - 1000 hectares
- 1000 - 2500 hectares
- 2500 -5000 hectares
- 5000 - 10,000 hectares
- over 10,000 hectares

Table 2 indicates the number of lakes in each size category.

Table 2

Classification of Lakes by Size in Hectares

Road Access Lakes

Lakes under 249 hectares	21
Lakes between 250 - 499 hectares	19
Lakes between 500 - 999 hectares	17
Lakes between 1000 - 2499 hectares	15
Lakes between 2500 - 4999 hectares	6
Lakes between 5000 - 9999 hectares	7
Lakes over 10,000 hectares	8

Lakes between 5000 and 10,000 hectares

Little Salmon Lake
Dezadeash Lake
Mayo Lake
Bennett Lake
Quiet Lake
Frances Lake
Sekulmon Lakes

Lakes over 10,000 hectares in size

Kluane Lake
Lake Laberge
Marsh Lake

Lakes over 10,000 hectares in size, cont.

Tagish Lake
Teslin Lake
Atlin Lake
Aishihik Lake

Non-Road Access Lakes

Lakes under 249 hectares	29
Lakes between 250 - 499 hectares	66
Lakes between 500 - 999 hectares	49
Lakes between 1000 - 2499 hectares	33
Lakes between 2500 - 4999 hectares	5
Lakes between 5000 - 9999 hectares	2
Lakes over 10,000 hectares	-

Lakes over 5000 hectares in size

Wellesley Lake
Wolf Lake

d) Elevation

Another classification that has some merit is elevation. Elevation is an important determiner of the ice-free period, growing season, and hence productivity. Again we have classified lakes into three groups according to their elevations. High elevation lakes over 1000 metres, medium elevation lakes between 750 and 1000 metres and low elevation lakes under 750 metres.

e) Access

One further classification, and certainly the most important in terms of human use, is access. We concentrate here on summer access, since that is when the bulk of the angling occurs. Virtually all lakes are accessible by skidoo in winter.

Yukon lakes have been classified according to their accessibility by road or by water from a road launching point.

We have interpreted road access to mean the existence of any road passable by 4-wheel drive vehicles. This has been a somewhat arbitrary, but, nonetheless realistic classification, as there are a sufficient number of anglers in Yukon who regularly use 4-wheel drive vehicles and any lake accessible by 4-wheel drive is bound to be subject to angling pressure.

A number of lakes have trail access but the scope of this study did not permit their identification. The provision of trail access is a useful management tool to distribute angling pressure if it is coordinated with other outdoor-recreation programmes.

Obviously, these somewhat arbitrary classifications have to be combined if the information they provide is to be useable for management purposes. Appendix 1 shows such a combination of classifications, that even in table form identifies some early priorities.

The specific application of these classifications, however, will become more apparent as the issues for both biological management and angler use management are discussed later in this report, where priorities have to be set for levels of management, and for obtaining the management information needed to attain those levels.

STREAMS

Stream classifications are less easy in terms of the two main considerations for this report, fish production and angler use.

The same types of classification can be applied to some extent as were applied to lakes.

Streams are as variable in dissolved solids as are lakes. Dissolved solids are a product of the chemical composition of the drainages in which they are situated. Streams flowing from oligotrophic lakes to areas where they are unlikely to recruit additional undissolved solids will be low in productivity. This is true of many of the stream reaches in alpine areas in southern Yukon.

On the other hand, slower moving streams draining eutrophic lakes and running through areas where recruitment of chemical nutrients is more likely, will be more productive.

Many rivers and streams are not associated with lakes and eventually will require the more refined classification suggested for lake systems. At this time, however, we are suggesting that lakes have a higher priority.

a) Physical Classification

1) Stream Order - Placement in the stream system network can be a useful guide in gauging likely physical conditions and fish utilization.

2) Seasonal flow - Identifying the perod of the year during which water flow occurs is essential to determining periods of fish use, productivity, and seasonal angling patterns. Three classifications are identified:

Perennial	Year-round flow in well defined channels.
Intermittent	Flow generally only during the wet season (50% of the time or less).
Ephemeral	Flow only during and shortly after extreme precipitation or snowmelt conditions.

3) Stream Channel Type - Channel shape and behaviour (stability) influences productivity and fish use. Channel types include:

- Poorly Defined Channels
- Stable Channels
- Braided Channels

Stream Channel Type, cont.

- Sinuous Channels
- Branched Channels

b) Access

Again, access is a key classification factor in terms of angler use. While a lake can be totally accessible provided a boat can be launched, the same is not true for stream systems. Several hundred kilometres of stream, for example, that may generally parallel a major road system, may only be useable by anglers for a small fraction of that total length.

Most stream and river angling does not involve the use of boats, so bank conditions and distance from an access point determine use.

Current knowledge makes it virtually impossible to provide any useful statistical information for classification purposes according to use.